AUTHOR INDEX VOLUME 149

A

Aaronson, S.A. *See* Hazan, Phillips, Qiao, Norton, and Aaronson.
Abbi, S. *See* Ueda, Abbi, Zheng, and Guan.
Acquista, E. *See* Charpentier, Lavker, Acquista, and Cowin.
Adachi, M., Fukuda, M., and Nishida, E. Nuclear export of MAP kinase (ERK) involves a MAP kinase kinase (MEK)-dependent active transport mechanism [148(5): 849]: Correction. 755.
Adames, N.R., and Cooper, J.A. Microtubule interactions with the cell cortex causing nuclear movements in *Saccharomyces cerevisiae.*° 863.
Adams, J.M. *See* Hausmann, O'Reilly, van Driel, Beaumont, Strasser, Adams, and Huang.
Aebi, U. *See* Siniossoglou, Lutzmann, Santos-Rosa, Leonard, Mueller, Aebi, and Hurt.
Aguilar, R.C. *See* Dell'Angelica, Puertollano, Mullins, Aguilar, Vargas, Hartnell, and Bonifacino.
Ahmed, S.U., Rojo, E., Kovaleva, V., Venkataraman, S., Dombrowski, J.E., Matsuoka, K., and Raikhel, N.V. The plant vacuolar sorting receptor AtELP is involved in transport of NH_2-terminal propeptide-containing vacuolar proteins in *Arabidopsis thaliana.*° 1335.
Akassoglou, K., Kombrinck, K.W., Degen, J.L., and Strickland, S. Tissue plasminogen activator–mediated fibrinolysis protects against axonal degeneration and demyelination after sciatic nerve injury. 1157.
Akbari, Y. *See* Leissring, Akbari, Fanger, Cahalan, Mattson, and LaFerla.
Aktories, K. *See* Wahl, Barth, Ciossek, Aktories, and Mueller.
Alberts, P. *See* Martinez-Arca, Alberts, Zahraoui, Louvard, and Galli.
Albrechtsen, R. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.
Allen, E. *See* Hotary, Allen, Punturieri, Yana, and Weiss.
Almeida, E.A.C., Ilić, D., Han, Q., Hauck, C.R., Jin, F., Kawakatsu, H., Schlaepfer, D.D., and Damsky, C.H. Matrix survival signaling: From fibronectin via focal adhesion kinase to c-Jun NH_2-terminal kinase. 741.
Almers, W. *See* Toomre, Steyer, Keller, Almers, and Simons.
Almouzni, G. *See* Verheggen, Almouzni, and Hernandez-Verdun.
Amin-Hanjani, S. *See* Kang, Wang, Hara, Peterson, Namura, Amin-Hanjani, Huang, Srinivasan, Tomaselli, Thornberry, Moskowitz, and Yuan.
Aragon-Alcaide, L. *See* Freeman, Aragon-Alcaide, and Strunnikov.
Arizzi, M. *See* Gnessi, Basciani, Mariani, Arizzi, Spera, Wang, Bondjers, Karlsson, and Betsholtz.
Arnal, I., Karsenti, E., and Hyman, A.A. Structural transitions at microtubule ends correlate with their dynamic properties in *Xenopus* egg extracts. 767.
Arregui, C., Pathre, P., Lilien, J., and Balsamo, J. The nonreceptor tyrosine kinase Fer mediates cross-talk between N-cadherin and β1-integrins. 1263.
Asadi, A. *See* Tvrdik, Westerberg, Silve, Asadi, Jakobsson, Cannon, Loison, and Jacobsson.
Avaro, S. *See* Wiederkehr, Avaro, Prescianotto-Baschong, Haguenauer-Tsapis, and Riezman.
Avraham, S. *See* Sancho, Nieto, Llano, Rodríguez-Fernández, Tejedor, Avraham, Cabañas, López-Botet, and Sánchez-Madrid.
Axelrod, D. *See* Schmoranzer, Goulian, Axelrod, and Simon.

B

Bacallao, R. *See* Charron, Nakamura, Bacallao, and Wandinger-Ness.
Bajno, L., Peng, X.-R., Schreiber, A.D., Moore, H.-P., Trimble, W.S., and Grinstein, S. Focal exocytosis of VAMP3-containing vesicles at sites of phagosome formation. 697.
Balsamo, J. *See* Arregui, Pathre, Lilien, and Balsamo.
— *See* Li, Leung, Hoffman, Balsamo, and Lilien.
Barlowe, C. *See* Cao and Barlowe.
Barth, H. *See* Wahl, Barth, Ciossek, Aktories, and Mueller.
Basciani, S. *See* Gnessi, Basciani, Mariani, Arizzi, Spera, Wang, Bondjers, Karlsson, and Betsholtz.
Basilico, C. *See* Mansukhani, Bellosta, Sahni, and Basilico.
Baytion, M. *See* Gerhart, Baytion, DeLuca, Getts, Lopez, Niewenhuis, Nilsen, Olex, Weintraub, and George-Weinstein.
Beaumont, J.G. *See* Hausmann, O'Reilly, van Driel, Beaumont, Strasser, Adams, and Huang.
Becker, M., Martin, E., Schneikert, J., Krug, H.F., and Cato, A.C.B. Cytoplasmic localization and the choice of ligand determine aggregate formation by androgen receptor with amplified polyglutamine stretch. 255.
Bellosta, P. *See* Mansukhani, Bellosta, Sahni, and Basilico.
Bennett, V. *See* Moorthy, Chen, and Bennett.
Betsholtz, C. *See* Gnessi, Basciani, Mariani, Arizzi, Spera, Wang, Bondjers, Karlsson, and Betsholtz.
Bhamidipati, A., Lewis, S.A., and Cowan, N.J. ADP ribosylation factor-like protein 2 (Arl2) regulates the interaction of tubulin-folding cofactor D with native tubulin. 1087.
Biehler, K. *See* Ruf, Biehler, and Bock.
Bier, M. *See* Fath, Milkereit, Podtelejnikov, Bischler, Schultz, Bier, Mann, and Tschochner.
Bierer, B.E. *See* Tirnauer and Bierer.
Birchmeier, W. *See* Schaeper, Gehring, Fuchs, Sachs, Kempkes, and Birchmeier.
Bischler, N. *See* Fath, Milkereit, Podtelejnikov, Bischler, Schultz, Bier, Mann, and Tschochner.
Bloecher, A., and Tatchell, K. Dynamic localization of protein phosphatase type 1 in the mitotic cell cycle of *Saccharomyces cerevisiae.*° 125.
Bock, R. *See* Ruf, Biehler, and Bock.
Bohmann, K. *See* Knaut, Pelegri, Bohmann, Schwarz, and Nüsslein-Volhard.
Bondanza, S. *See* Dellambra, Golisano, Bondanza, Siviero, Lacal, Molinari, D'Atri, and De Luca.
Bondjers, C. *See* Gnessi, Basciani, Mariani, Arizzi, Spera, Wang, Bondjers, Karlsson, and Betsholtz.
Bonifacino, J.S. *See* Dell'Angelica, Puertollano, Mullins, Aguilar, Vargas, Hartnell, and Bonifacino.
Bornens, M. *See* Piel, Meyer, Khodjakov, Rieder, and Bornens.
Borowiec, J.A. *See* Daniely and Borowiec.
Brakebusch, C. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.
Bré, M.-H. *See* Xia, Hai, Gao, Burnette, Thazhath, Duan, Bré, Levilliers, Gorovsky, and Gaertig.
Brennwald, P. Reversal of fortune: Do Rab GTPases act on the target membrane? 1.
Bright, N.A. *See* Hirst, Lui, Bright, Totty, Seaman, and Robinson.
— *See* Pryor, Mullock, Bright, Gray, and Luzio.
Briscoe, G. *See* Redick, Settles, Briscoe, and Erickson.
Brunger, A.T. *See* Hyman, Chen, Di Fiore, De Camilli, and Brunger.
Buchstaller, A. *See* Fitzli, Stoeckli, Kunz, Siribour, Rader, Kunz, Kozlov, Buchstaller, Lane, Suter, Dreyer, and Sonderegger.
Burnette, D. *See* Xia, Hai, Gao, Burnette, Thazhath, Duan, Bré, Levilliers, Gorovsky, and Gaertig.
Burt, J.M. *See* Lampe, TenBroek, Burt, Kurata, Johnson, and Lau.

C

Cabañas, C. *See* Sancho, Nieto, Llano, Rodríguez-Fernández, Tejedor, Avraham, Cabañas, López-Botet, and Sánchez-Madrid.
Cáceres, A. *See* Peretti, Peris, Rosso, Quiroga, and Cáceres.
Cáceres, J.F. *See* van der Houven van Oordt, Diaz-Meco, Lozano, Krainer, Moscat, and Cáceres.
Cahalan, M.D. *See* Leissring, Akbari, Fanger, Cahalan, Mattson, and LaFerla.
Calafat, J. *See* Sterk, Geuijen, Oomen, Calafat, Janssen, and Sonnenberg.
Camacho, P. *See* Roderick, Lechleiter, and Camacho.
Cannon, B. *See* Tvrdik, Westerberg, Silve, Asadi, Jakobsson, Cannon, Loison, and Jacobsson.
Cao, X., and Barlowe, C. Asymmetric requirements for a Rab GTPase and SNARE proteins in fusion of COPII vesicles with acceptor membranes. 55.

°The online version of this article contains supplemental material.

Cardoso, M.C. *See* Leonhardt, Rahn, Weinzierl, Sporbert, Cremer, Zink, and Cardoso.
Caroni, P. *See* Frey, Laux, Xu, Schneider, and Caroni.
— *See* Laux, Fukami, Thelen, Golub, Frey, and Caroni.
Casciola-Rosen, L.A. *See* Mancini, Machamer, Roy, Nicholson, Thornberry, Casciola-Rosen, and Rosen.
Cato, A.C.B. *See* Becker, Martin, Schneikert, Krug, and Cato.
Caulin, C., Ware, C.F., Magin, T.M., and Oshima, R.G. Keratin-dependent, epithelial resistance to tumor necrosis factor-induced apoptosis. 17.
Chan, C.S.-M. *See* Velmurugan, Yang, Chan, Dobson, and Jayaram.
Charpentier, E., Lavker, R.M., Acquista, E., and Cowin, P. Plakoglobin suppresses epithelial proliferation and hair growth in vivo. 503.
Charron, A.J., Nakamura, S., Bacallao, R., and Wandinger-Ness, A. Compromised cytoarchitecture and polarized trafficking in autosomal dominant polycystic kidney disease cells. 111.
Chattopadhyay, D. *See* Mal, Chattopadhyay, Ghosh, Poon, Hunter, and Harter.
Chen, H. *See* Hyman, Chen, Di Fiore, De Camilli, and Brunger.
Chen, L. *See* Moorthy, Chen, and Bennett.
Cho, S.Y., and Klemke, R.L. Extracellular-regulated kinase activation and CAS/Crk coupling regulate cell migration and suppress apoptosis during invasion of the extracellular matrix. 223.
Choy, A.J. *See* Snyder, Koller, Choy, and Subramani.
Choy, L., Skillington, J., and Derynck, R. Roles of autocrine TGF-β receptor and Smad signaling in adipocyte differentiation. 667.
Ciossek, T. *See* Wahl, Barth, Ciossek, Aktories, and Mueller.
Cleveland, D.W. *See* Merdes, Heald, Samejima, Earnshaw, and Cleveland.
Colanzi, A., Deerinck, T.J., Ellisman, M.H., and Malhotra, V. A specific activation of the mitogen-activated protein kinase kinase 1 (MEK1) is required for Golgi fragmentation during mitosis. 331.
Collard, J.G. *See* Zondag, Evers, ten Klooster, Janssen, van der Kammen, and Collard.
Collas, P. *See* Steen, Cubizolles, Le Guellec, and Collas.
Cooper, J.A. *See* Adames and Cooper.
Coppens, I., Sinai, A.P., and Joiner, K.A. *Toxoplasma gondii* exploits host low-density lipoprotein receptor-mediated endocytosis for cholesterol acquisition. 167.
Cowan, N.J. *See* Bhamidipati, Lewis, and Cowan.
Cowin, P. *See* Charpentier, Lavker, Acquista, and Cowin.
Cremer, T. *See* Leonhardt, Rahn, Weinzierl, Sporbert, Cremer, Zink, and Cardoso.
Cubizolles, F. *See* Steen, Cubizolles, Le Guellec, and Collas.

D

Dahl, S. *See* Dubreuil, Wang, Dahl, Lee, and Goldstein.
Damsky, C.H. *See* Almeida, Ilić Han, Hauck, Jin, Kawakatsu, Schlaepfer, and Damsky.
Daniely, Y., and Borowiec, J.A. Formation of a complex between nucleolin and replication protein A after cell stress prevents initiation of DNA replication. 799.
D'Atri, S. *See* Dellambra, Golisano, Bondanza, Siviero, Lacal, Molinari, D'Atri, and De Luca.
Davis, W.S. *See* Hammarlund, Davis, and Jorgensen.
Deak, P. *See* Inoue, do Carmo Avides, Shiraki, Deak, Yamaguchi, Nishimoto, Matsukage, and Glover.
Dean, N.M. *See* Rosen, Rak, Leung, Dean, Kerbel, and Filmus.
De Camilli, P. *See* Hyman, Chen, Di Fiore, De Camilli, and Brunger.
Deerinck, T.J. *See* Colanzi, Deerinck, Ellisman, and Malhotra.
Degen, J.L. *See* Akassoglou, Kombrinck, Degen, and Strickland.
Dellambra, E., Golisano, O., Bondanza, S., Siviero, E., Lacal, P., Molinari, M., D'Atri, S., and De Luca, M. Downregulation of 14-3-3σ prevents clonal evolution and leads to immortalization of primary human keratinocytes. 1117.
Dell'Angelica, E.C., Puertollano, R., Mullins, C., Aguilar, R.C., Vargas, J.D., Hartnell, L.M., and Bonifacino, J.S. GGAs: A family of ADP ribosylation factor-binding proteins related to adaptors and associated with the Golgi complex.° 81.
De Luca, M. *See* Dellambra, Golisano, Bondanza, Siviero, Lacal, Molinari, D'Atri, and De Luca.
DeLuca, S. *See* Gerhart, Baytion, DeLuca, Getts, Lopez, Niewenhuis, Nilsen, Olex, Weintraub, and George-Weinstein.
Denisenko-Nehrbass, N. *See* Faivre-Sarrailh, Gauthier, Denisenko-Nehrbass, Le Bivic, Rougon, and Girault.
De Renzis, S. *See* Sönnichsen, De Renzis, Nielsen, Rietdorf, and Zerial.
Derynck, R. *See* Choy, Skillington, and Derynck.
Deshmukh, M. *See* Putcha, Deshmukh, and Johnson.
De Vos, K., Severin, F., Van Herreweghe, F., Vancompernolle, K., Goossens, V., Hyman, A., and Grotten, J. Tumor necrosis factor induces hyperphosphorylation of kinesin light chain and inhibits kinesin-mediated transport of mitochondria. 1207.
Diamond, S.L. *See* Schmidtke and Diamond.
Diaz-Meco, M.T. *See* van der Houven van Oordt, Diaz-Meco, Lozano, Krainer, Moscat, and Cáceres.
Di Fiore, P.P. *See* Hyman, Chen, Di Fiore, De Camilli, and Brunger.
Do, H. *See* McCallum, Do, Johnson, and Frydman.
Dobson, M. *See* Velmurugan, Yang, Chan, Dobson, and Jayaram.
do Carmo Avides, M. *See* Inoue, do Carmo Avides, Shiraki, Deak, Yamaguchi, Nishimoto, Matsukage, and Glover.
Dombrowski, J.E. *See* Ahmed, Rojo, Kovaleva, Venkataraman, Dombrowski, Matsuoka, and Raikhel.
Dreyer, W.J. *See* Fitzli, Stoeckli, Kunz, Siribour, Rader, Kunz, Kozlov, Buchstaller, Lane, Suter, Dreyer, and Sonderegger.
Duan, J. *See* Xia, Hai, Gao, Burnette, Thazhath, Duan, Bré, Levilliers, Gorovsky, and Gaertig.
Dubreuil, R.R., Wang, P., Dahl, S., Lee, J., and Goldstein, L.S.B. *Drosophila* β spectrin functions independently of α spectrin to polarize the Na,K ATPase in epithelial cells. 647.

E

Earnshaw, W.C. *See* Merdes, Heald, Samejima, Earnshaw, and Cleveland.
Edwards, K.A. *See* Kiehart, Galbraith, Edwards, Rickoll, and Montague.
Edwards, R.H. *See* Krantz, Waites, Oorschot, Liu, Wilson, Tan, Klumperman, and Edwards.
Egerton, M.M. *See* Pan, Fieles, White, Egerton, and Silberstein.
Elkind, N.B., Walch-Solimena, C., and Novick, P.J. The role of the COOH terminus of Sec2p in the transport of post-Golgi vesicles. 95.
Ellis, M.A. *See* Henkel, Gibson, Poland, Ellis, Hughey, and Weisz.
Ellisman, M.H. *See* Colanzi, Deerinck, Ellisman, and Malhotra.
Emoto, K., and Umeda, M. An essential role for a membrane lipid in cytokinesis: Regulation of contractile ring disassembly by redistribution of phosphatidylethanolamine. 1215.
Erickson, H.P. *See* Redick, Settles, Briscoe, and Erickson.
Evers, E.E. *See* Zondag, Evers, ten Klooster, Janssen, van der Kammen, and Collard.

F

Faivre-Sarrailh, C., Gauthier, F., Denisenko-Nehrbass, N., Le Bivic, A., Rougon, G., and Girault, J.-A. The glycosylphosphatidyl inositol-anchored adhesion molecule F3/contactin is required for surface transport of paranodin/contactin-associated protein (caspr). 491.
Fanger, C.M. *See* Leissring, Akbari, Fanger, Cahalan, Mattson, and LaFerla.
Fässler, R. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.
Fath, S., Milkereit, P., Podtelejnikov, A.V., Bischler, N., Schultz, P., Bier, M., Mann, M., and Tschochner, H. Association of yeast RNA polymerase I with a nucleolar substructure active in rRNA synthesis and processing. 575.
Fieles, W.E. *See* Pan, Fieles, White, Egerton, and Silberstein.
Filmus, J. *See* Rosen, Rak, Leung, Dean, Kerbel, and Filmus.
Fitzli, D., Stoeckli, E.T., Kunz, S., Siribour, K., Rader, C., Kunz, B., Kozlov, S.V., Buchstaller, A., Lane, R.P., Suter, D.M., Dreyer, W.J., and Sonderegger, P. A direct interaction of axonin-1 with NgCAM-related cell adhesion molecule (NrCAM) results in guidance, but not growth of commissural axons. 951.
Fournier, A.E., Nakamura, F., Kawamoto, S., Goshima, Y., Kalb, R.G., and Strittmatter, S.M. Semaphorin3A enhances endocytosis at sites of receptor–F-actin colocalization during growth cone collapse. 411.
Freeman, L., Aragon-Alcaide, L., and Strunnikov, A. The condensin complex governs chromosome condensation and mitotic transmission of rDNA. 811.

Frey, D., Laux, T., Xu, L., Schneider, C., and Caroni, P. Shared and unique roles of CAP23 and GAP43 in actin regulation, neurite outgrowth, and anatomical plasticity. 1443.
— *See* Laux, Fukami, Thelen, Golub, Frey, and Caroni.
Friday, B.B., Horsley, V., and Pavlath, G.K. Calcineurin activity is required for the initiation of skeletal muscle differentiation. 657.
Fröhlich, C. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.
Frydman, J. *See* McCallum, Do, Johnson, and Frydman.
Fuchs, E. *See* Karakesisoglou, Yang, and Fuchs.
— *See* Kaufman and Fuchs.
Fuchs, K.P. *See* Schaeper, Gehring, Fuchs, Sachs, Kempkes, and Birchmeier.
Fukami, K. *See* Laux, Fukami, Thelen, Golub, Frey, and Caroni.
Fukuda, M. *See* Adachi, Fukuda, and Nishida.
Furuse, M. *See* Tsukita and Furuse.

G

Gaertig, J. *See* Xia, Hai, Gao, Burnette, Thazhath, Duan, Bré, Levilliers, Gorovsky, and Gaertig.
Galbraith, C.G. *See* Kiehart, Galbraith, Edwards, Rickoll, and Montague.
Galli, T. *See* Martinez-Arca, Alberts, Zahraoui, Louvard, and Galli.
Gao, Y. *See* Xia, Hai, Gao, Burnette, Thazhath, Duan, Bré, Levilliers, Gorovsky, and Gaertig.
Gauthier, F. *See* Faivre-Sarrailh, Gauthier, Denisenko-Nehrbass, Le Bivic, Rougon, and Girault.
Gehring, N.H. *See* Schaeper, Gehring, Fuchs, Sachs, Kempkes, and Birchmeier.
Georges-Labouesse, E. *See* Miller, Georges-Labouesse, Primakoff, and Myles.
George-Weinstein, M. *See* Gerhart, Baytion, DeLuca, Getts, Lopez, Niewenhuis, Nilsen, Olex, Weintraub, and George-Weinstein.
Gerhart, J., Baytion, M., DeLuca, S., Getts, R., Lopez, C., Niewenhuis, R., Nilsen, T., Olex, S., Weintraub, H., and George-Weinstein, M. DNA dendrimers localize MyoD mRNA in presomitic tissues of the chick embryo. 825.
Gertler, F.B. *See* Krause, Sechi, Konradt, Monner, Gertler, and Wehland.
Getts, R. *See* Gerhart, Baytion, DeLuca, Getts, Lopez, Niewenhuis, Nilsen, Olex, Weintraub, and George-Weinstein.
Geuijen, C.A.W. *See* Sterk, Geuijen, Oomen, Calafat, Janssen, and Sonnenberg.
Ghosh, M.K. *See* Mal, Chattopadhyay, Ghosh, Poon, Hunter, and Harter.
Giaume, C. *See* Rouach, Glowinski, and Giaume.
Gibson, G.A. *See* Henkel, Gibson, Poland, Ellis, Hughey, and Weisz.
Gilmore, A.P., Metcalfe, A.D., Romer, L.H., and Streuli, C.H. Integrin-mediated survival signals regulate the apoptotic function of Bax through its conformation and subcellular localization. 431.
Gilpin, B. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.
Girault, J.-A. *See* Faivre-Sarrailh, Gauthier, Denisenko-Nehrbass, Le Bivic, Rougon, and Girault.
Gish, G. *See* Kulkarni, Gish, van der Geer, Henkemeyer, and Pawson.
Glotzer, M. *See* Jantsch-Plunger, Gönczy, Romano, Schnabel, Hamill, Schnabel, Hyman, and Glotzer.
Glover, D.M. *See* Inoue, do Carmo Avides, Shiraki, Deak, Yamaguchi, Nishimoto, Matsukage, and Glover.
Glowinski, J. *See* Rouach, Glowinski, and Giaume.
Gnessi, L., Basciani, S., Mariani, S., Arizzi, M., Spera, G., Wang, C., Bondjers, C., Karlsson, L., and Betsholtz, C. Leydig cell loss and spermatogenic arrest in platelet-derived growth factor (PDGF)-A–deficient mice. 1019.
Goldfarb, D.S. *See* Shulga, Mosammaparast, Wozniak, and Goldfarb.
Goldman, R.D. *See* Moir, Spann, Herrmann, and Goldman.
Goldstein, L.S.B. *See* Dubreuil, Wang, Dahl, Lee, and Goldstein.
Golisano, O. *See* Dellambra, Golisano, Bondanza, Siviero, Lacal, Molinari, D'Atri, and De Luca.
Golub, T. *See* Laux, Fukami, Thelen, Golub, Frey, and Caroni.
Gonatas, N.K. *See* Lowe, Gonatas, and Warren.
Gönczy, P. *See* Jantsch-Plunger, Gönczy, Romano, Schnabel, Hamill, Schnabel, Hyman, and Glotzer.
Goossens, V. *See* De Vos, Severin, Van Herreweghe, Vancompernolle, Goossens, Hyman, and Grotten.
Gorovsky, M.A. *See* Xia, Hai, Gao, Burnette, Thazhath, Duan, Bré, Levilliers, Gorovsky, and Gaertig.
Goshima, Y. *See* Fournier, Nakamura, Kawamoto, Goshima, Kalb, and Strittmatter.
Gould, S.J. *See* South, Sacksteder, Li, Liu, and Gould.
Goulian, M. *See* Schmoranzer, Goulian, Axelrod, and Simon.
Gray, S.R. *See* Pryor, Mullock, Bright, Gray, and Luzio.
Gress, C.J., and Jacenko, O. Growth plate compressions and altered hematopoiesis in collagen X null mice. 983.
Grinstein, S. *See* Bajno, Peng, Schreiber, Moore, Trimble, and Grinstein.
Grotten, J. *See* De Vos, Severin, Van Herreweghe, Vancompernolle, Goossens, Hyman, and Grotten.
Guan, J.-L. *See* Ueda, Abbi, Zheng, and Guan.

H

Haffner, C. *See* Hatzfeld, Haffner, Schulze, and Vinzens.
Haguenauer-Tsapis, R. *See* Wiederkehr, Avaro, Prescianotto-Baschong, Haguenauer-Tsapis, and Riezman.
Hai, B. *See* Xia, Hai, Gao, Burnette, Thazhath, Duan, Bré, Levilliers, Gorovsky, and Gaertig.
Hamill, D. *See* Jantsch-Plunger, Gönczy, Romano, Schnabel, Hamill, Schnabel, Hyman, and Glotzer.
Hammarlund, M., Davis, W.S., and Jorgensen, E.M. Mutations in β-spectrin disrupt axon outgrowth and sarcomere structure. 931.
Han, Q. *See* Almeida, Ilić Han, Hauck, Jin, Kawakatsu, Schlaepfer, and Damsky.
Hara, H. *See* Kang, Wang, Hara, Peterson, Namura, Amin-Hanjani, Huang, Srinivasan, Tomaselli, Thornberry, Moskowitz, and Yuan.
Hara, T. *See* Hirota, Morisaki, Nishiyama, Marumoto, Tada, Hara, Masuko, Inagaki, Hatakeyama, and Saya.
Hardwick, K.G. *See* Rudner, Hardwick, and Murray.
Harter, M.L. *See* Mal, Chattopadhyay, Ghosh, Poon, Hunter, and Harter.
Hartnell, L.M. *See* Dell'Angelica, Puertollano, Mullins, Aguilar, Vargas, Hartnell, and Bonifacino.
Hatakeyama, K. *See* Hirota, Morisaki, Nishiyama, Marumoto, Tada, Hara, Masuko, Inagaki, Hatakeyama, and Saya.
Hatzfeld, M., Haffner, C., Schulze, K., and Vinzens, U. The function of plakophilin 1 in desmosome assembly and actin filament organization. 209.
Hauck, C.R. *See* Almeida, Ilić Han, Hauck, Jin, Kawakatsu, Schlaepfer, and Damsky.
Hauschka, S.D. *See* Reinecke, MacDonald, Hauschka, and Murry.
Hausmann, G., O'Reilly, L.A., van Driel, R., Beaumont, J.G., Strasser, A., Adams, J.M., and Huang, D.C.S. Pro-apoptotic apoptosis protease–activating factor 1 (Apaf-1) has a cytoplasmic localization distinct from Bcl-2 or Bcl-x_L. 623.
Hazan, R.B., Phillips, G.R., Qiao, R.F., Norton, L., and Aaronson, S.A. Exogenous expression of N-cadherin in breast cancer cells induces cell migration, invasion, and metastasis [148(4): 779]: Correction. 239.
He, X.-p., Yang, F., Xie, Z.-p., and Lu, B. Intracellular Ca^{2+} and Ca^{2+}/calmodulin-dependent kinase II mediate acute potentiation of neurotransmitter release by neurotrophin-3. 783.
Heald, R. *See* Merdes, Heald, Samejima, Earnshaw, and Cleveland.
Henkel, J.R., Gibson, G.A., Poland, P.A., Ellis, M.A., Hughey, R.P., and Weisz, O.A. Influenza M2 proton channel activity selectively inhibits trans-Golgi network release of apical membrane and secreted proteins in polarized Madin-Darby canine kidney cells [148(3): 495]: Correction. 237.
Henkemeyer, M. *See* Kulkarni, Gish, van der Geer, Henkemeyer, and Pawson.
Hernandez-Verdun, D. *See* Verheggen, Almouzni, and Hernandez-Verdun.
Herrmann, H. *See* Moir, Spann, Herrmann, and Goldman.
Hirota, T., Morisaki, T., Nishiyama, Y., Marumoto, T., Tada, K., Hara, T., Masuko, N., Inagaki, M., Hatakeyama, K., and Saya, H. Zyxin, a regulator of actin filament assembly, targets the mitotic apparatus by interacting with h-warts/LATS1 tumor suppressor. 1073.
Hirst, J., Lui, W.W.Y., Bright, N.A., Totty, N., Seaman, M.N.J., and Robinson, M.S. A family of proteins with γ-adaptin and VHS domains that facilitate trafficking between the trans-Golgi network and the vacuole/lysosome. 67.
Hoffman, S. *See* Li, Leung, Hoffman, Balsamo, and Lilien.
Hollingsworth, N.M. *See* Suzuki, Park, Hollingsworth, Sternglanz, and Lennarz.

Hornemann, T., Stolz, M., and Wallimann, T. Isoenzyme-specific interaction of muscle-type creatine kinase with the sarcomeric M-line is mediated by NH_2-terminal lysine. 1225.
Horsley, V. *See* Friday, Horsley, and Pavlath.
Hotary, K., Allen, E., Punturieri, A., Yana, I., and Weiss, S.J. Regulation of cell invasion and morphogenesis in a three-dimensional type I collagen matrix by membrane-type matrix metalloproteinases 1, 2, and 3. 1309.
Huang, D.C.S. *See* Hausmann, O'Reilly, van Driel, Beaumont, Strasser, Adams, and Huang.
Huang, Z. *See* Kang, Wang, Hara, Peterson, Namura, Amin-Hanjani, Huang, Srinivasan, Tomaselli, Thornberry, Moskowitz, and Yuan.
Huber, L.A. *See* Oliferenko, Kaverina, Small, and Huber.
Hughey, R.P. *See* Henkel, Gibson, Poland, Ellis, Hughey, and Weisz.
Hunter, T. *See* Mal, Chattopadhyay, Ghosh, Poon, Hunter, and Harter.
Hurt, E. *See* Siniossoglou, Lutzmann, Santos-Rosa, Leonard, Mueller, Aebi, and Hurt.
Hyman, A. *See* De Vos, Severin, Van Herreweghe, Vancompernolle, Goossens, Hyman, and Grotten.
Hyman, A.A. *See* Arnal, Karsenti, and Hyman.
— See Jantsch-Plunger, Gönczy, Romano, Schnabel, Hamill, Schnabel, Hyman, and Glotzer.
Hyman, J., Chen, H., Di Fiore, P.P., De Camilli, P., and Brunger, A.T. Epsin 1 undergoes nucleocytosolic shuttling and its Eps15 interactor NH_2-terminal homology (ENTH) domain, structurally similar to *armadillo* and HEAT repeats, interacts with the transcription factor promyelocytic leukemia Zn^{2+} finger protein (PLZF). 537.

I

Iba, K., Albrechtsen, R., Gilpin, B., Fröhlich, C., Loechel, F., Zolkiewska, A., Ishiguro, K., Kojima, T., Liu, W., Langford, J.K., Sanderson, R.D., Brakebusch, C., Fässler, R., and Wewer, U.M. The cysteine-rich domain of human ADAM 12 supports cell adhesion through syndecans and triggers signaling events that lead to β1 integrin–dependent cell spreading. 1143.
Ilić D. *See* Almeida, Ilić Han, Hauck, Jin, Kawakatsu, Schlaepfer, and Damsky.
Inagaki, M. *See* Hirota, Morisaki, Nishiyama, Marumoto, Tada, Hara, Masuko, Inagaki, Hatakeyama, and Saya.
Inoue, Y. *See* Sakaguchi, Miyazaki, Inoue, Tsuji, Kouchi, Tanaka, Yamada, and Namba.
Inoue, Y.H., do Carmo Avides, M., Shiraki, M., Deak, P., Yamaguchi, M., Nishimoto, Y., Matsukage, A., and Glover, D.M. Orbit, a novel microtubule-associated protein essential for mitosis in *Drosophila melanogaster*. 153.
Ishiguro, K. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.

J

Jacenko, O. *See* Gress and Jacenko.
Jacobsson, A. *See* Tvrdik, Westerberg, Silve, Asadi, Jakobsson, Cannon, Loison, and Jacobsson.
Jakobsson, A. *See* Tvrdik, Westerberg, Silve, Asadi, Jakobsson, Cannon, Loison, and Jacobsson.
Janssen, H. *See* Sterk, Geuijen, Oomen, Calafat, Janssen, and Sonnenberg.
Janssen, L. *See* Zondag, Evers, ten Klooster, Janssen, van der Kammen, and Collard.
Jantsch-Plunger, V., Gönczy, P., Romano, A., Schnabel, H., Hamill, D., Schnabel, R., Hyman, A.A., and Glotzer, M. CYK-4: A Rho family GTPase activating protein (GAP) required for central spindle formation and cytokinesis. 1391.
Jayaram, M. *See* Velmurugan, Yang, Chan, Dobson, and Jayaram.
Jin, F. *See* Almeida, Ilić Han, Hauck, Jin, Kawakatsu, Schlaepfer, and Damsky.
Jin, Y., Wang, Y., Johansen, J., and Johansen, K.M. JIL-1, a chromosomal kinase implicated in regulation of chromatin structure, associates with the male specific lethal (MSL) dosage compensation complex. 1005.
Johansen, J. *See* Jin, Wang, Johansen, and Johansen.
Johansen, K.M. *See* Jin, Wang, Johansen, and Johansen.
Johnson, A.E. *See* McCallum, Do, Johnson, and Frydman.
Johnson, E.M., Jr. *See* Putcha, Deshmukh, and Johnson.
Johnson, R.G. *See* Lampe, TenBroek, Burt, Kurata, Johnson, and Lau.
Johnston, R.J. *See* Weber, Parlati, McNew, Johnston, Westermann, Söllner, and Rothman.
Joiner, K.A. *See* Coppens, Sinai, and Joiner.
Jorgensen, E.M. *See* Hammarlund, Davis, and Jorgensen.

K

Kalb, R.G. *See* Fournier, Nakamura, Kawamoto, Goshima, Kalb, and Strittmatter.
Kanazawa, T., Nakamura, S., Momoi, M., Yamaji, T., Takematsu, H., Yano, H., Sabe, H., Yamamoto, A., Kawasaki, T., and Kozutsumi, Y. Inhibition of cytokinesis by a lipid metabolite, psychosine. 943.
Kang, S.-J., Wang, S., Hara, H., Peterson, E.P., Namura, S., Amin-Hanjani, S., Huang, Z., Srinivasan, A., Tomaselli, K.J., Thornberry, N.A., Moskowitz, M.A., and Yuan, J. Dual role of caspase-11 in mediating activation of caspase-1 and caspase-3 under pathological conditions. 613.
Kang, Y.-S. *See* Ko, Kang, Kim, Park, and Kim.
Kano, F., Takenaka, K., Yamamoto, A., Nagayama, K., Nishida, E., and Murata, M. MEK and Cdc2 kinase are sequentially required for Golgi disassembly in MDCK cells by the mitotic *Xenopus* extracts. 357.
Karakesisoglou, I., Yang, Y., and Fuchs, E. An epidermal plakin that integrates actin and microtubule networks at cellular junctions. 195.
Karlsson, L. *See* Gnessi, Basciani, Mariani, Arizzi, Spera, Wang, Bondjers, Karlsson, and Betsholtz.
Karsenti, E. *See* Arnal, Karsenti, and Hyman.
— *See* Wittmann, Wilm, Karsenti, and Vernos.
Kaufman, C.K., and Fuchs, E. It's got you covered: NF-κB in the epidermis. 999.
Kaverina, I. *See* Oliferenko, Kaverina, Small, and Huber.
Kawakatsu, H. *See* Almeida, Ilić Han, Hauck, Jin, Kawakatsu, Schlaepfer, and Damsky.
Kawamoto, S. *See* Fournier, Nakamura, Kawamoto, Goshima, Kalb, and Strittmatter.
Kawasaki, T. *See* Kanazawa, Nakamura, Momoi, Yamaji, Takematsu, Yano, Sabe, Yamamoto, Kawasaki, and Kozutsumi.
Keller, P. *See* Toomre, Steyer, Keller, Almers, and Simons.
Kempkes, B. *See* Schaeper, Gehring, Fuchs, Sachs, Kempkes, and Birchmeier.
Kerbel, R.S. *See* Rosen, Rak, Leung, Dean, Kerbel, and Filmus.
Khodjakov, A. *See* Piel, Meyer, Khodjakov, Rieder, and Bornens.
Kiehart, D.P., Galbraith, C.G., Edwards, K.A., Rickoll, W.L., and Montague, R.A. Multiple forces contribute to cell sheet morphogenesis for dorsal closure in *Drosophila*. 471.
Kim, E.-K. *See* Ko, Kang, Kim, Park, and Kim.
Kim, S. *See* Ko, Kang, Kim, Park, and Kim.
Klemke, R.L. *See* Cho and Klemke.
Kline-Smith, S.L., and Walczak, C.E. Microtubules in *orbit*. 5.
Klumperman, J. *See* Krantz, Waites, Oorschot, Liu, Wilson, Tan, Klumperman, and Edwards.
Knaut, H., Pelegri, F., Bohmann, K., Schwarz, H., and Nüsslein-Volhard, C. Zebrafish *vasa* RNA but not its protein is a component of the germ plasm and segregates asymmetrically before germline specification. 875.
Ko, Y.-G., Kang, Y.-S., Kim, E.-K., Park, S.G., and Kim, S. Nucleolar localization of human methionyl–tRNA synthetase and its role in ribosomal RNA synthesis. 567.
Kojima, T. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.
Koller, A. *See* Snyder, Koller, Choy, and Subramani.
Kombrinck, K.W. *See* Akassoglou, Kombrinck, Degen, and Strickland.
Konradt, M. *See* Krause, Sechi, Konradt, Monner, Gertler, and Wehland.
Kouchi, H. *See* Sakaguchi, Miyazaki, Inoue, Tsuji, Kouchi, Tanaka, Yamada, and Namba.
Kovaleva, V. *See* Ahmed, Rojo, Kovaleva, Venkataraman, Dombrowski, Matsuoka, and Raikhel.
Kozlov, S.V. *See* Fitzli, Stoeckli, Kunz, Siribour, Rader, Kunz, Kozlov, Buchstaller, Lane, Suter, Dreyer, and Sonderegger.
Kozutsumi, Y. *See* Kanazawa, Nakamura, Momoi, Yamaji, Takematsu, Yano, Sabe, Yamamoto, Kawasaki, and Kozutsumi.

Krainer, A.R. *See* van der Houven van Oordt, Diaz-Meco, Lozano, Krainer, Moscat, and Cáceres.
Krantz, D.E., Waites, C., Oorschot, V., Liu, Y., Wilson, R.I., Tan, P.K., Klumperman, J., and Edwards, R.H. A phosphorylation site regulates sorting of the vesicular acetylcholine transporter to dense core vesicles. 379.
Krause, M., Sechi, A.S., Konradt, M., Monner, D., Gertler, F.B., and Wehland, J. Fyn-binding protein (Fyb)/SLP-76–associated protein (SLAP), Ena/vasodilator-stimulated phosphoprotein (VASP) proteins and the Arp2/3 complex link T cell receptor (TCR) signaling to the actin cytoskeleton. 181.
Krug, H.F. *See* Becker, Martin, Schneikert, Krug, and Cato.
Ku, N.-O., and Omary, M.B. Keratins turn over by ubiquitination in a phosphorylation-modulated fashion. 547.
Kulkarni, S.V., Gish, G., van der Geer, P., Henkemeyer, M., and Pawson, T. Role of p120 Ras-GAP in directed cell movement. 457.
Kunz, B. *See* Fitzli, Stoeckli, Kunz, Siribour, Rader, Kunz, Kozlov, Buchstaller, Lane, Suter, Dreyer, and Sonderegger.
Kunz, S. *See* Fitzli, Stoeckli, Kunz, Siribour, Rader, Kunz, Kozlov, Buchstaller, Lane, Suter, Dreyer, and Sonderegger.
Kurata, W.E. *See* Lampe, TenBroek, Burt, Kurata, Johnson, and Lau.

L

Lacal, P. *See* Dellambra, Golisano, Bondanza, Siviero, Lacal, Molinari, D'Atri, and De Luca.
LaFerla, F.M. *See* Leissring, Akbari, Fanger, Cahalan, Mattson, and LaFerla.
Lafont, F. *See* Plant, Lafont, Lecat, Verkade, Simons, and Rotin.
Lampe, P.D., TenBroek, E.M., Burt, J.M., Kurata, W.E., Johnson, R.G., and Lau, A.F. Phosphorylation of connexin43 on serine368 by protein kinase C regulates gap junctional communication. 1503.
Lane, R.P. *See* Fitzli, Stoeckli, Kunz, Siribour, Rader, Kunz, Kozlov, Buchstaller, Lane, Suter, Dreyer, and Sonderegger.
Langford, J.K. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.
Lau, A.F. *See* Lampe, TenBroek, Burt, Kurata, Johnson, and Lau.
Laux, T., Fukami, K., Thelen, M., Golub, T., Frey, D., and Caroni, P. GAP43, MARCKS, and CAP23 modulate $PI(4,5)P_2$ at plasmalemmal rafts, and regulate cell cortex actin dynamics through a common mechanism. 1455.
— *See* Frey, Laux, Xu, Schneider, and Caroni.
Lavker, R.M. *See* Charpentier, Lavker, Acquista, and Cowin.
Le Bivic, A. *See* Faivre-Sarrailh, Gauthier, Denisenko-Nehrbass, Le Bivic, Rougon, and Girault.
Lecat, S. *See* Plant, Lafont, Lecat, Verkade, Simons, and Rotin.
Lechleiter, J.D. *See* Roderick, Lechleiter, and Camacho.
Lee, J. *See* Dubreuil, Wang, Dahl, Lee, and Goldstein.
Le Guellec, K. *See* Steen, Cubizolles, Le Guellec, and Collas.
Leissring, M.A., Akbari, Y., Fanger, C.M., Cahalan, M.D., Mattson, M.P., and LaFerla, F.M. Capacitative calcium entry deficits and elevated luminal calcium content in mutant presenilin-1 knockin mice. 793.
Lennarz, W.J. *See* Suzuki, Park, Hollingsworth, Sternglanz, and Lennarz.
Leonard, K. *See* Siniossoglou, Lutzmann, Santos-Rosa, Leonard, Mueller, Aebi, and Hurt.
Leonhardt, H., Rahn, H.-P., Weinzierl, P., Sporbert, A., Cremer, T., Zink, D., and Cardoso, M.C. Dynamics of DNA replication factories in living cells. 271.
Leung, T. *See* Rosen, Rak, Leung, Dean, Kerbel, and Filmus.
Leung, T.-C. *See* Li, Leung, Hoffman, Balsamo, and Lilien.
Levilliers, N. *See* Xia, Hai, Gao, Burnette, Thazhath, Duan, Bré, Levilliers, Gorovsky, and Gaertig.
Lewis, S.A. *See* Bhamidipati, Lewis, and Cowan.
Li, H., Leung, T.-C., Hoffman, S., Balsamo, J., and Lilien, J. Coordinate regulation of cadherin and integrin function by the chondroitin sulfate proteoglycan neurocan. 1275.
Li, X. *See* South, Sacksteder, Li, Liu, and Gould.
Lilien, J. *See* Arregui, Pathre, Lilien, and Balsamo.
— *See* Li, Leung, Hoffman, Balsamo, and Lilien.
Liu, W. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.
Liu, Y. *See* Krantz, Waites, Oorschot, Liu, Wilson, Tan, Klumperman, and Edwards.
— *See* South, Sacksteder, Li, Liu, and Gould.
Llano, M. *See* Sancho, Nieto, Llano, Rodríguez-Fernández, Tejedor, Avraham, Cabañas, López-Botet, and Sánchez-Madrid.
Loechel, F. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.
Loison, G. *See* Tvrdik, Westerberg, Silve, Asadi, Jakobsson, Cannon, Loison, and Jacobsson.
Lopez, C. *See* Gerhart, Baytion, DeLuca, Getts, Lopez, Niewenhuis, Nilsen, Olex, Weintraub, and George-Weinstein.
López-Botet, M. *See* Sancho, Nieto, Llano, Rodríguez-Fernández, Tejedor, Avraham, Cabañas, López-Botet, and Sánchez-Madrid.
Louvard, D. *See* Martinez-Arca, Alberts, Zahraoui, Louvard, and Galli.
Lowe, M., Gonatas, N.K., and Warren, G. The mitotic phosphorylation cycle of the cis-Golgi matrix protein GM130. 341.
Lozano, J. *See* van der Houven van Oordt, Diaz-Meco, Lozano, Krainer, Moscat, and Cáceres.
Lu, B. *See* He, Yang, Xie, and Lu.
Lui, W.W.Y. *See* Hirst, Lui, Bright, Totty, Seaman, and Robinson.
Lutzmann, M. *See* Siniossoglou, Lutzmann, Santos-Rosa, Leonard, Mueller, Aebi, and Hurt.
Luzio, J.P. *See* Pryor, Mullock, Bright, Gray, and Luzio.

M

Macara, I.G. *See* Nemergut and Macara.
MacDonald, G.H. *See* Reinecke, MacDonald, Hauschka, and Murry.
Machamer, C.E. *See* Mancini, Machamer, Roy, Nicholson, Thornberry, Casciola-Rosen, and Rosen.
Magin, T.M. *See* Caulin, Ware, Magin, and Oshima.
Mal, A., Chattopadhyay, D., Ghosh, M.K., Poon, R.Y.C., Hunter, T., and Harter, M.L. p21 and retinoblastoma protein control the absence of DNA replication in terminally differentiated muscle cells. 281.
Malhotra, V. *See* Colanzi, Deerinck, Ellisman, and Malhotra.
Mancini, M., Machamer, C.E., Roy, S., Nicholson, D.W., Thornberry, N.A., Casciola-Rosen, L.A., and Rosen, A. Caspase-2 is localized at the Golgi complex and cleaves golgin-160 during apoptosis. 603.
Mann, M. *See* Fath, Milkereit, Podtelejnikov, Bischler, Schultz, Bier, Mann, and Tschochner.
Mansukhani, A., Bellosta, P., Sahni, M., and Basilico, C. Signaling by fibroblast growth factors (FGF) and fibroblast growth factor receptor 2 (FGFR2)–activating mutations blocks mineralization and induces apoptosis in osteoblasts. 1297.
Mariani, S. *See* Gnessi, Basciani, Mariani, Arizzi, Spera, Wang, Bondjers, Karlsson, and Betsholtz.
Martin, E. *See* Becker, Martin, Schneikert, Krug, and Cato.
Martinez-Arca, S., Alberts, P., Zahraoui, A., Louvard, D., and Galli, T. Role of tetanus neurotoxin insensitive vesicle-associated membrane protein (TI-VAMP) in vesicular transport mediating neurite outgrowth. 889.
Marumoto, T. *See* Hirota, Morisaki, Nishiyama, Marumoto, Tada, Hara, Masuko, Inagaki, Hatakeyama, and Saya.
Masuko, N. *See* Hirota, Morisaki, Nishiyama, Marumoto, Tada, Hara, Masuko, Inagaki, Hatakeyama, and Saya.
Matsukage, A. *See* Inoue, do Carmo Avides, Shiraki, Deak, Yamaguchi, Nishimoto, Matsukage, and Glover.
Matsuoka, K. *See* Ahmed, Rojo, Kovaleva, Venkataraman, Dombrowski, Matsuoka, and Raikhel.
Mattson, M.P. *See* Leissring, Akbari, Fanger, Cahalan, Mattson, and LaFerla.
McCallum, C.D., Do, H., Johnson, A.E., and Frydman, J. The interaction of the chaperonin tailless complex polypeptide 1 (TCP1) ring complex (TRiC) with ribosome-bound nascent chains examined using photo-cross-linking. 591.
McNew, J.A. *See* Weber, Parlati, McNew, Johnston, Westermann, Söllner, and Rothman.
Mei, F. *See* Silletti, Mei, Sheppard, and Montgomery.
Mellman, I. *Quo vadis:* Polarized membrane recycling in motility and phagocytosis. 529.
Merdes, A., Heald, R., Samejima, K., Earnshaw, W.C., and Cleveland, D.W. Formation of spindle poles by dynein/dynactin-dependent transport of NuMA. 851.
Metcalfe, A.D. *See* Gilmore, Metcalfe, Romer, and Streuli.
Meyer, P. *See* Piel, Meyer, Khodjakov, Rieder, and Bornens.
Milbrandt, J. *See* Wei, Xu, Qu, Milbrandt, and Zhuo.

Milkereit, P. *See* Fath, Milkereit, Podtelejnikov, Bischler, Schultz, Bier, Mann, and Tschochner.
Miller, B.J., Georges-Labouesse, E., Primakoff, P., and Myles, D.G. Normal fertilization occurs with eggs lacking the integrin α6β1 and is CD9-dependent. 1289.
Miyazaki, M. *See* Sakaguchi, Miyazaki, Inoue, Tsuji, Kouchi, Tanaka, Yamada, and Namba.
Moir, R.D., Spann, T.P., Herrmann, H., and Goldman, R.D. Disruption of nuclear lamin organization blocks the elongation phase of DNA replication. 1179.
Molinari, M. *See* Dellambra, Golisano, Bondanza, Siviero, Lacal, Molinari, D'Atri, and De Luca.
Momoi, M. *See* Kanazawa, Nakamura, Momoi, Yamaji, Takematsu, Yano, Sabe, Yamamoto, Kawasaki, and Kozutsumi.
Monner, D. *See* Krause, Sechi, Konradt, Monner, Gertler, and Wehland.
Montague, R.A. *See* Kiehart, Galbraith, Edwards, Rickoll, and Montague.
Montgomery, A.M.P. *See* Silletti, Mei, Sheppard, and Montgomery.
Moon, R.T. *See* Takemaru and Moon.
Moore, H.-P. *See* Bajno, Peng, Schreiber, Moore, Trimble, and Grinstein.
Moorthy, S., Chen, L., and Bennett, V. *Caenorhabditis elegans* β-G spectrin is dispensable for establishment of epithelial polarity, but essential for muscular and neuronal function. 915.
Morisaki, T. *See* Hirota, Morisaki, Nishiyama, Marumoto, Tada, Hara, Masuko, Inagaki, Hatakeyama, and Saya.
Mosammaparast, N. *See* Shulga, Mosammaparast, Wozniak, and Goldfarb.
Moscat, J. *See* van der Houven van Oordt, Diaz-Meco, Lozano, Krainer, Moscat, and Cáceres.
Moskowitz, M.A. *See* Kang, Wang, Hara, Peterson, Namura, Amin-Hanjani, Huang, Srinivasan, Tomaselli, Thornberry, Moskowitz, and Yuan.
Mueller, B.K. *See* Wahl, Barth, Ciossek, Aktories, and Mueller.
Mueller, S. *See* Siniossoglou, Lutzmann, Santos-Rosa, Leonard, Mueller, Aebi, and Hurt.
Mullins, C. *See* Dell'Angelica, Puertollano, Mullins, Aguilar, Vargas, Hartnell, and Bonifacino.
Mullock, B.M. *See* Pryor, Mullock, Bright, Gray, and Luzio.
Murata, M. *See* Kano, Takenaka, Yamamoto, Nagayama, Nishida, and Murata.
Murray, A.W. *See* Rudner, Hardwick, and Murray.
— *See* Rudner and Murray.
Murry, C.E. *See* Reinecke, MacDonald, Hauschka, and Murry.
Myles, D.G. *See* Miller, Georges-Labouesse, Primakoff, and Myles.

N

Nagayama, K. *See* Kano, Takenaka, Yamamoto, Nagayama, Nishida, and Murata.
Nakamura, F. *See* Fournier, Nakamura, Kawamoto, Goshima, Kalb, and Strittmatter.
Nakamura, S. *See* Charron, Nakamura, Bacallao, and Wandinger-Ness.
— *See* Kanazawa, Nakamura, Momoi, Yamaji, Takematsu, Yano, Sabe, Yamamoto, Kawasaki, and Kozutsumi.
Namba, M. *See* Sakaguchi, Miyazaki, Inoue, Tsuji, Kouchi, Tanaka, Yamada, and Namba.
Namura, S. *See* Kang, Wang, Hara, Peterson, Namura, Amin-Hanjani, Huang, Srinivasan, Tomaselli, Thornberry, Moskowitz, and Yuan.
Nelson, W.J. W(h)ither the Golgi during mitosis? 243.
— *See* Torres and Nelson.
Nemergut, M.E., and Macara, I.G. Nuclear import of the Ran exchange factor, RCC1, is mediated by at least two distinct mechanisms. 835.
Nicholson, D.W. *See* Mancini, Machamer, Roy, Nicholson, Thornberry, Casciola-Rosen, and Rosen.
Nielsen, E. *See* Sönnichsen, De Renzis, Nielsen, Rietdorf, and Zerial.
Nieto, M. *See* Sancho, Nieto, Llano, Rodríguez-Fernández, Tejedor, Avraham, Cabañas, López-Botet, and Sánchez-Madrid.
Niewenhuis, R. *See* Gerhart, Baytion, DeLuca, Getts, Lopez, Niewenhuis, Nilsen, Olex, Weintraub, and George-Weinstein.
Nilsen, T. *See* Gerhart, Baytion, DeLuca, Getts, Lopez, Niewenhuis, Nilsen, Olex, Weintraub, and George-Weinstein.
Nishida, E. *See* Adachi, Fukuda, and Nishida.
— *See* Kano, Takenaka, Yamamoto, Nagayama, Nishida, and Murata.
Nishimoto, Y. *See* Inoue, do Carmo Avides, Shiraki, Deak, Yamaguchi, Nishimoto, Matsukage, and Glover.
Nishiyama, Y. *See* Hirota, Morisaki, Nishiyama, Marumoto, Tada, Hara, Masuko, Inagaki, Hatakeyama, and Saya.
Norton, L. *See* Hazan, Phillips, Qiao, Norton, and Aaronson.
Novick, P.J. *See* Elkind, Walch-Solimena, and Novick.
Nüsslein-Volhard, C. *See* Knaut, Pelegri, Bohmann, Schwarz, and Nüsslein-Volhard.

O

Olex, S. *See* Gerhart, Baytion, DeLuca, Getts, Lopez, Niewenhuis, Nilsen, Olex, Weintraub, and George-Weinstein.
Oliferenko, S., Kaverina, I., Small, J.V., and Huber, L.A. Hyaluronic acid (HA) binding to CD44 activates Rac1 and induces lamellipodia outgrowth [148(6): 1159]°: Correction. 241.
Oliver, J.M. *See* Wilson, Pfeiffer, and Oliver.
Omary, M.B. *See* Ku and Omary.
Oomen, L.C.J.M. *See* Sterk, Geuijen, Oomen, Calafat, Janssen, and Sonnenberg.
Oorschot, V. *See* Krantz, Waites, Oorschot, Liu, Wilson, Tan, Klumperman, and Edwards.
O'Reilly, L.A. *See* Hausmann, O'Reilly, van Driel, Beaumont, Strasser, Adams, and Huang.
Oshima, R.G. *See* Caulin, Ware, Magin, and Oshima.

P

Pan, J.Y., Fieles, W.E., White, A.M., Egerton, M.M., and Silberstein, D.S. Ges, a human GTPase of the Rad/Gem/Kir family, promotes endothelial cell sprouting and cytoskeleton reorganization. 1107.
Park, H. *See* Suzuki, Park, Hollingsworth, Sternglanz, and Lennarz.
Park, S.G. *See* Ko, Kang, Kim, Park, and Kim.
Parlati, F. *See* Weber, Parlati, McNew, Johnston, Westermann, Söllner, and Rothman.
Pathre, P. *See* Arregui, Pathre, Lilien, and Balsamo.
Pavlath, G.K. *See* Friday, Horsley, and Pavlath.
Pawson, T. *See* Kulkarni, Gish, van der Geer, Henkemeyer, and Pawson.
Pelegri, F. *See* Knaut, Pelegri, Bohmann, Schwarz, and Nüsslein-Volhard.
Peng, X.-R. *See* Bajno, Peng, Schreiber, Moore, Trimble, and Grinstein.
Peretti, D., Peris, L., Rosso, S., Quiroga, S., and Cáceres, A. Evidence for the involvement of KIF4 in the anterograde transport of L1-containing vesicles. 141.
Peris, L. *See* Peretti, Peris, Rosso, Quiroga, and Cáceres.
Peterson, E.P. *See* Kang, Wang, Hara, Peterson, Namura, Amin-Hanjani, Huang, Srinivasan, Tomaselli, Thornberry, Moskowitz, and Yuan.
Pfeiffer, J.R. *See* Wilson, Pfeiffer, and Oliver.
Phillips, G.R. *See* Hazan, Phillips, Qiao, Norton, and Aaronson.
Piel, M., Meyer, P., Khodjakov, A., Rieder, C.L., and Bornens, M. The respective contributions of the mother and daughter centrioles to centrosome activity and behavior in vertebrate cells.° 317.
Plant, P.J., Lafont, F., Lecat, S., Verkade, P., Simons, K., and Rotin, D. Apical membrane targeting of Nedd4 is mediated by an association of its C2 domain with annexin XIIIb. 1473.
Podtelejnikov, A.V. *See* Fath, Milkereit, Podtelejnikov, Bischler, Schultz, Bier, Mann, and Tschochner.
Poland, P.A. *See* Henkel, Gibson, Poland, Ellis, Hughey, and Weisz.
Poon, R.Y.C. *See* Mal, Chattopadhyay, Ghosh, Poon, Hunter, and Harter.
Prescianotto-Baschong, C. *See* Wiederkehr, Avaro, Prescianotto-Baschong, Haguenauer-Tsapis, and Riezman.
Primakoff, P. *See* Miller, Georges-Labouesse, Primakoff, and Myles.
Pryor, P.R., Mullock, B.M., Bright, N.A., Gray, S.R., and Luzio, J.P. The role of intraorganellar Ca^{2+} in late endosome–lysosome heterotypic fusion and in the reformation of lysosomes from hybrid organelles. 1053.
Puertollano, R. *See* Dell'Angelica, Puertollano, Mullins, Aguilar, Vargas, Hartnell, and Bonifacino.
Punturieri, A. *See* Hotary, Allen, Punturieri, Yana, and Weiss.
Putcha, G.V., Deshmukh, M., and Johnson, E.M., Jr. Inhibition of apoptotic signaling cascades causes loss of trophic factor dependence during neuronal maturation. 1011.

Q

Qiao, R.F. *See* Hazan, Phillips, Qiao, Norton, and Aaronson.
Qu, Z. *See* Wei, Xu, Qu, Milbrandt, and Zhuo.
Quaranta, V. Cell migration through extracellular matrix: Membrane-type metalloproteinases make the way. 1167.
Quiroga, S. *See* Peretti, Peris, Rosso, Quiroga, and Cáceres.

R

Rader, C. *See* Fitzli, Stoeckli, Kunz, Siribour, Rader, Kunz, Kozlov, Buchstaller, Lane, Suter, Dreyer, and Sonderegger.
Rahn, H.-P. *See* Leonhardt, Rahn, Weinzierl, Sporbert, Cremer, Zink, and Cardoso.
Raikhel, N.V. *See* Ahmed, Rojo, Kovaleva, Venkataraman, Dombrowski, Matsuoka, and Raikhel.
Rak, J. *See* Rosen, Rak, Leung, Dean, Kerbel, and Filmus.
Rapraeger, A.C. Syndecan-regulated receptor signaling. 995.
Redick, S.D., Settles, D.L., Briscoe, G., and Erickson, H.P. Defining fibronectin's cell adhesion synergy site by site-directed mutagenesis. 521.
Reinecke, H., MacDonald, G.H., Hauschka, S.D., and Murry, C.E. Electromechanical coupling between skeletal and cardiac muscle: Implications for infarct repair.° 731.
Rickoll, W.L. *See* Kiehart, Galbraith, Edwards, Rickoll, and Montague.
Rieder, C.L. *See* Piel, Meyer, Khodjakov, Rieder, and Bornens.
Rietdorf, J. *See* Sönnichsen, De Renzis, Nielsen, Rietdorf, and Zerial.
Riezman, H. *See* Wiederkehr, Avaro, Prescianotto-Baschong, Haguenauer-Tsapis, and Riezman.
Roberts, T.M., and Stewart, M. Acting like actin: The dynamics of the nematode major sperm protein (MSP) cytoskeleton indicate a push-pull mechanism for amoeboid cell motility. 7.
Robinson, M.S. *See* Hirst, Lui, Bright, Totty, Seaman, and Robinson.
Roderick, H.L., Lechleiter, J.D., and Camacho, P. Cytosolic phosphorylation of calnexin controls intracellular Ca^{2+} oscillations via an interaction with SERCA2b. 1235.
Rodríguez-Fernández, J.L. *See* Sancho, Nieto, Llano, Rodríguez-Fernández, Tejedor, Avraham, Cabañas, López-Botet, and Sánchez-Madrid.
Rojo, E. *See* Ahmed, Rojo, Kovaleva, Venkataraman, Dombrowski, Matsuoka, and Raikhel.
Romano, A. *See* Jantsch-Plunger, Gönczy, Romano, Schnabel, Hamill, Schnabel, Hyman, and Glotzer.
Romer, L.H. *See* Gilmore, Metcalfe, Romer, and Streuli.
Rosen, A. *See* Mancini, Machamer, Roy, Nicholson, Thornberry, Casciola-Rosen, and Rosen.
Rosen, K., Rak, J., Leung, T., Dean, N.M., Kerbel, R.S., and Filmus, J. Activated *ras* prevents downregulation of Bcl-X_L triggered by detachment from the extracellular matrix: A mechanism of *ras*-induced resistance to anoikis in intestinal epithelial cells. 447.
Rosso, S. *See* Peretti, Peris, Rosso, Quiroga, and Cáceres.
Rothman, J.E. *See* Weber, Parlati, McNew, Johnston, Westermann, Söllner, and Rothman.
Rotin, D. *See* Plant, Lafont, Lecat, Verkade, Simons, and Rotin.
Rouach, N., Glowinski, J., and Giaume, C. Activity-dependent neuronal control of Gap-junctional communication in astrocytes. 1513.
Rougon, G. *See* Faivre-Sarrailh, Gauthier, Denisenko-Nehrbass, Le Bivic, Rougon, and Girault.
Roy, S. *See* Mancini, Machamer, Roy, Nicholson, Thornberry, Casciola-Rosen, and Rosen.
Rudner, A.D., Hardwick, K.G., and Murray, A.W. Cdc28 activates exit from mitosis in budding yeast. 1361.
—, **and Murray, A.W.** Phosphorylation by Cdc28 activates the Cdc20-dependent activity of the anaphase-promoting complex. 1377.
Ruf, S., Biehler, K., and Bock, R. A small chloroplast-encoded protein as a novel architectural component of the light-harvesting antenna. 369.
Rutishauser, U. Defining a role and mechanism of IgCAM function in vertebrate axon guidance. 757.

S

Sabe, H. *See* Kanazawa, Nakamura, Momoi, Yamaji, Takematsu, Yano, Sabe, Yamamoto, Kawasaki, and Kozutsumi.
Sachs, M. *See* Schaeper, Gehring, Fuchs, Sachs, Kempkes, and Birchmeier.
Sacksteder, K.A. *See* South, Sacksteder, Li, Liu, and Gould.
Saez, L. *See* Wesley and Saez.
Sahni, M. *See* Mansukhani, Bellosta, Sahni, and Basilico.
Sakaguchi, M., Miyazaki, M., Inoue, Y., Tsuji, T., Kouchi, H., Tanaka, T., Yamada, H., and Namba, M. Relationship between contact inhibition and intranuclear S100C of normal human fibroblasts. 1193.
Samejima, K. *See* Merdes, Heald, Samejima, Earnshaw, and Cleveland.
Sánchez-Madrid, F. *See* Sancho, Nieto, Llano, Rodríguez-Fernández, Tejedor, Avraham, Cabañas, López-Botet, and Sánchez-Madrid.
Sancho, D., Nieto, M., Llano, M., Rodríguez-Fernández, J.L., Tejedor, R., Avraham, S., Cabañas, C., López-Botet, M., and Sánchez-Madrid, F. The tyrosine kinase PYK-2/RAFTK regulates natural killer (NK) cell cytotoxic response, and is translocated and activated upon specific target cell recognition and killing. 1249.
Sanderson, R.D. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.
Santos-Rosa, H. *See* Siniossoglou, Lutzmann, Santos-Rosa, Leonard, Mueller, Aebi, and Hurt.
Saya, H. *See* Hirota, Morisaki, Nishiyama, Marumoto, Tada, Hara, Masuko, Inagaki, Hatakeyama, and Saya.
Schachat, F. *See* Taylor, Taylor, and Schachat.
Schaeper, U., Gehring, N.H., Fuchs, K.P., Sachs, M., Kempkes, B., and Birchmeier, W. Coupling of Gab1 to c-Met, Grb2, and Shp2 mediates biological responses. 1419.
Schlaepfer, D.D. *See* Almeida, Ilić Han, Hauck, Jin, Kawakatsu, Schlaepfer, and Damsky.
Schmidtke, D.W., and Diamond, S.L. Direct observation of membrane tethers formed during neutrophil attachment to platelets or P-selectin under physiological flow. 719.
Schmoranzer, J., Goulian, M., Axelrod, D., and Simon, S.M. Imaging constitutive exocytosis with total internal reflection fluorescence microscopy.° 23.
Schnabel, H. *See* Jantsch-Plunger, Gönczy, Romano, Schnabel, Hamill, Schnabel, Hyman, and Glotzer.
Schnabel, R. *See* Jantsch-Plunger, Gönczy, Romano, Schnabel, Hamill, Schnabel, Hyman, and Glotzer.
Schneider, C. *See* Frey, Laux, Xu, Schneider, and Caroni.
Schneikert, J. *See* Becker, Martin, Schneikert, Krug, and Cato.
Schreiber, A.D. *See* Bajno, Peng, Schreiber, Moore, Trimble, and Grinstein.
Schultz, P. *See* Fath, Milkereit, Podtelejnikov, Bischler, Schultz, Bier, Mann, and Tschochner.
Schulze, K. *See* Hatzfeld, Haffner, Schulze, and Vinzens.
Schwarz, H. *See* Knaut, Pelegri, Bohmann, Schwarz, and Nüsslein-Volhard.
Seaman, M.N.J. *See* Hirst, Lui, Bright, Totty, Seaman, and Robinson.
Sechi, A.S. *See* Krause, Sechi, Konradt, Monner, Gertler, and Wehland.
Settles, D.L. *See* Redick, Settles, Briscoe, and Erickson.
Severin, F. *See* De Vos, Severin, Van Herreweghe, Vancompernolle, Goossens, Hyman, and Grotten.
Sheppard, D. *See* Silletti, Mei, Sheppard, and Montgomery.
Shiraki, M. *See* Inoue, do Carmo Avides, Shiraki, Deak, Yamaguchi, Nishimoto, Matsukage, and Glover.
Shulga, N., Mosammaparast, N., Wozniak, R., and Goldfarb, D.S. Yeast nucleoporins involved in passive nuclear envelope permeability. 1027.
Silberstein, D.S. *See* Pan, Fieles, White, Egerton, and Silberstein.
Silletti, S., Mei, F., Sheppard, D., and Montgomery, A.M.P. Plasmin-sensitive dibasic sequences in the third fibronectin-like domain of L1–cell adhesion molecule (CAM) facilitate homomultimerization and concomitant integrin recruitment. 1485.
Silve, S. *See* Tvrdik, Westerberg, Silve, Asadi, Jakobsson, Cannon, Loison, and Jacobsson.
Simon, S.M. *See* Schmoranzer, Goulian, Axelrod, and Simon.
Simons, K. *See* Plant, Lafont, Lecat, Verkade, Simons, and Rotin.
— *See* Toomre, Steyer, Keller, Almers, and Simons.
Sinai, A.P. *See* Coppens, Sinai, and Joiner.
Siniossoglou, S., Lutzmann, M., Santos-Rosa, H., Leonard, K., Mueller, S., Aebi, U., and Hurt, E. Structure and assembly of the Nup84p complex. 41.
Siribour, K. *See* Fitzli, Stoeckli, Kunz, Siribour, Rader, Kunz, Kozlov, Buchstaller, Lane, Suter, Dreyer, and Sonderegger.
Siviero, E. *See* Dellambra, Golisano, Bondanza, Siviero, Lacal, Molinari, D'Atri, and De Luca.
Skillington, J. *See* Choy, Skillington, and Derynck.

Small, J.V. *See* Oliferenko, Kaverina, Small, and Huber.
Snyder, W.B., Koller, A., Choy, A.J., and Subramani, S. The peroxin Pex19p interacts with multiple integral membrane proteins at the peroxisomal membrane. 1171.
Söllner, T.H. *See* Weber, Parlati, McNew, Johnston, Westermann, Söllner, and Rothman.
Sonderegger, P. *See* Fitzli, Stoeckli, Kunz, Siribour, Rader, Kunz, Kozlov, Buchstaller, Lane, Suter, Dreyer, and Sonderegger.
Sonnenberg, A. *See* Sterk, Geuijen, Oomen, Calafat, Janssen, and Sonnenberg.
Sönnichsen, B., De Renzis, S., Nielsen, E., Rietdorf, J., and Zerial, M. Distinct membrane domains on endosomes in the recycling pathway visualized by multicolor imaging of Rab4, Rab5, and Rab11. ◊ 901.
South, S.T., Sacksteder, K.A., Li, X., Liu, Y., and Gould, S.J. Inhibitors of COPI and COPII do not block *PEX3*-mediated peroxisome synthesis. 1345.
Spann, T.P. *See* Moir, Spann, Herrmann, and Goldman.
Spera, G. *See* Gnessi, Basciani, Mariani, Arizzi, Spera, Wang, Bondjers, Karlsson, and Betsholtz.
Sporbert, A. *See* Leonhardt, Rahn, Weinzierl, Sporbert, Cremer, Zink, and Cardoso.
Srinivasan, A. *See* Kang, Wang, Hara, Peterson, Namura, Amin-Hanjani, Huang, Srinivasan, Tomaselli, Thornberry, Moskowitz, and Yuan.
Steen, R.L., Cubizolles, F., Le Guellec, K., and Collas, P. A kinase–anchoring protein (AKAP)95 recruits human chromosome-associated protein (hCAP)-D2/Eg7 for chromosome condensation in mitotic extract. 531.
Sterk, L.M.Th., Geuijen, C.A.W., Oomen, L.C.J.M., Calafat, J., Janssen, H., and Sonnenberg, A. The tetraspan molecule CD151, a novel constituent of hemidesmosomes, associates with the integrin α6β4 and may regulate the spatial organization of hemidesmosomes. 969.
Sternglanz, R. *See* Suzuki, Park, Hollingsworth, Sternglanz, and Lennarz.
Stewart, M. *See* Roberts and Stewart.
Steyer, J.A. *See* Toomre, Steyer, Keller, Almers, and Simons.
Stoeckli, E.T. *See* Fitzli, Stoeckli, Kunz, Siribour, Rader, Kunz, Kozlov, Buchstaller, Lane, Suter, Dreyer, and Sonderegger.
Stolz, M. *See* Hornemann, Stolz, and Wallimann.
Strasser, A. *See* Hausmann, O'Reilly, van Driel, Beaumont, Strasser, Adams, and Huang.
Streuli, C.H. *See* Gilmore, Metcalfe, Romer, and Streuli.
Strickland, S. *See* Akassoglou, Kombrinck, Degen, and Strickland.
Strittmatter, S.M. *See* Fournier, Nakamura, Kawamoto, Goshima, Kalb, and Strittmatter.
Strunnikov, A. *See* Freeman, Aragon-Alcaide, and Strunnikov.
Subramani, S. *See* Snyder, Koller, Choy, and Subramani.
Suter, D.M. *See* Fitzli, Stoeckli, Kunz, Siribour, Rader, Kunz, Kozlov, Buchstaller, Lane, Suter, Dreyer, and Sonderegger.
Suzuki, T., Park, H., Hollingsworth, N.M., Sternglanz, R., and Lennarz, W.J. *PNG1*, a yeast gene encoding a highly conserved peptide: *N*-glycanase. 1039.

T

Tada, K. *See* Hirota, Morisaki, Nishiyama, Marumoto, Tada, Hara, Masuko, Inagaki, Hatakeyama, and Saya.
Takemaru, K.-I., and Moon, R.T. The transcriptional coactivator CBP interacts with β-catenin to activate gene expression. 249.
Takematsu, H. *See* Kanazawa, Nakamura, Momoi, Yamaji, Takematsu, Yano, Sabe, Yamamoto, Kawasaki, and Kozutsumi.
Takenaka, K. *See* Kano, Takenaka, Yamamoto, Nagayama, Nishida, and Murata.
Tan, P.K. *See* Krantz, Waites, Oorschot, Liu, Wilson, Tan, Klumperman, and Edwards.
Tanaka, T. *See* Sakaguchi, Miyazaki, Inoue, Tsuji, Kouchi, Tanaka, Yamada, and Namba.
Tatchell, K. *See* Bloecher and Tatchell.
Taylor, D.W. *See* Taylor, Taylor, and Schachat.
Taylor, K.A., Taylor, D.W., and Schachat, F. Isoforms of α-actinin from cardiac, smooth, and skeletal muscle form polar arrays of actin filaments. 635.
Tejedor, R. *See* Sancho, Nieto, Llano, Rodríguez-Fernández, Tejedor, Avraham, Cabañas, López-Botet, and Sánchez-Madrid.
TenBroek, E.M. *See* Lampe, TenBroek, Burt, Kurata, Johnson, and Lau.
ten Klooster, J.P. *See* Zondag, Evers, ten Klooster, Janssen, van der Kammen, and Collard.
Thazhath, R. *See* Xia, Hai, Gao, Burnette, Thazhath, Duan, Bré, Levilliers, Gorovsky, and Gaertig.
Thelen, M. *See* Laux, Fukami, Thelen, Golub, Frey, and Caroni.
Thornberry, N.A. *See* Kang, Wang, Hara, Peterson, Namura, Amin-Hanjani, Huang, Srinivasan, Tomaselli, Thornberry, Moskowitz, and Yuan.
— *See* Mancini, Machamer, Roy, Nicholson, Thornberry, Casciola-Rosen, and Rosen.
Tirnauer, J.S., and Bierer, B.E. EB1 proteins regulate microtubule dynamics, cell polarity, and chromosome stability. 761.
Tomaselli, K.J. *See* Kang, Wang, Hara, Peterson, Namura, Amin-Hanjani, Huang, Srinivasan, Tomaselli, Thornberry, Moskowitz, and Yuan.
Toomre, D., Steyer, J.A., Keller, P., Almers, W., and Simons, K. Fusion of constitutive membrane traffic with the cell surface observed by evanescent wave microscopy. ◊ 33.
Torres, M.A., and Nelson, W.J. Colocalization and redistribution of dishevelled and actin during Wnt-induced mesenchymal morphogenesis. 1433.
Totty, N. *See* Hirst, Lui, Bright, Totty, Seaman, and Robinson.
Trimble, W.S. *See* Bajno, Peng, Schreiber, Moore, Trimble, and Grinstein.
Tschochner, H. *See* Fath, Milkereit, Podtelejnikov, Bischler, Schultz, Bier, Mann, and Tschochner.
Tsuji, T. *See* Sakaguchi, Miyazaki, Inoue, Tsuji, Kouchi, Tanaka, Yamada, and Namba.
Tsukita, S., and Furuse, M. Pores in the wall: Claudins constitute tight junction strands containing aqueous pores. 13.
Tvrdik, P., Westerberg, R., Silve, S., Asadi, A., Jakobsson, A., Cannon, B., Loison, G., and Jacobsson, A. Role of a new mammalian gene family in the biosynthesis of very long chain fatty acids and sphingolipids. 707.

U

Ueda, H., Abbi, S., Zheng, C., and Guan, J.-L. Suppression of Pyk2 kinase and cellular activities by FIP200. 423.
Umeda, M. *See* Emoto and Umeda.

V

Vancompernolle, K. *See* De Vos, Severin, Van Herreweghe, Vancompernolle, Goossens, Hyman, and Grotten.
van der Geer, P. *See* Kulkarni, Gish, van der Geer, Henkemeyer, and Pawson.
van der Houven van Oordt, W., Diaz-Meco, M.T., Lozano, J., Krainer, A.R., Moscat, J., and Cáceres, J.F. The $MKK_{3/6}$-p38–signaling cascade alters the subcellular distribution of hnRNP A1 and modulates alternative splicing regulation. 307.
van der Kammen, R.A. *See* Zondag, Evers, ten Klooster, Janssen, van der Kammen, and Collard.
van Driel, R. *See* Hausmann, O'Reilly, van Driel, Beaumont, Strasser, Adams, and Huang.
Van Herreweghe, F. *See* De Vos, Severin, Van Herreweghe, Vancompernolle, Goossens, Hyman, and Grotten.
Vargas, J.D. *See* Dell'Angelica, Puertollano, Mullins, Aguilar, Vargas, Hartnell, and Bonifacino.
Velmurugan, S., Yang, X.-M., Chan, C.S.-M., Dobson, M., and Jayaram, M. Partitioning of the 2-μm circle plasmid of *Saccharomyces cerevisiae*: Functional coordination with chromosome segregation and plasmid-encoded Rep protein distribution. 553.
Venkataraman, S. *See* Ahmed, Rojo, Kovaleva, Venkataraman, Dombrowski, Matsuoka, and Raikhel.
Verheggen, C., Almouzni, G., and Hernandez-Verdun, D. The ribosomal RNA processing machinery is recruited to the nucleolar domain before RNA polymerase I during *Xenopus laevis* development. 293.
Verkade, P. *See* Plant, Lafont, Lecat, Verkade, Simons, and Rotin.
Vernos, I. *See* Wittmann, Wilm, Karsenti, and Vernos.
Vinzens, U. *See* Hatzfeld, Haffner, Schulze, and Vinzens.

W

Wahl, S., Barth, H., Ciossek, T., Aktories, K., and Mueller, B.K. Ephrin-A5 induces collapse of growth cones by activating Rho and Rho kinase. 263.
Waites, C. *See* Krantz, Waites, Oorschot, Liu, Wilson, Tan, Klumperman, and Edwards.
Walch-Solimena, C. *See* Elkind, Walch-Solimena, and Novick.
Walczak, C.E. *See* Kline-Smith and Walczak.
Wallimann, T. *See* Hornemann, Stolz, and Wallimann.
Wandinger-Ness, A. *See* Charron, Nakamura, Bacallao, and Wandinger-Ness.
Wang, C. *See* Gnessi, Basciani, Mariani, Arizzi, Spera, Wang, Bondjers, Karlsson, and Betsholtz.
Wang, P. *See* Dubreuil, Wang, Dahl, Lee, and Goldstein.
Wang, S. *See* Kang, Wang, Hara, Peterson, Namura, Amin-Hanjani, Huang, Srinivasan, Tomaselli, Thornberry, Moskowitz, and Yuan.
Wang, Y. *See* Jin, Wang, Johansen, and Johansen.
Ware, C.F. *See* Caulin, Ware, Magin, and Oshima.
Warren, G. *See* Lowe, Gonatas, and Warren.
Weber, T., Parlati, F., McNew, J.A., Johnston, R.J., Westermann, B., Söllner, T.H., and Rothman, J.E. SNAREpins are functionally resistant to disruption by NSF and αSNAP. 1063.
Wehland, J. *See* Krause, Sechi, Konradt, Monner, Gertler, and Wehland.
Wei, F., Xu, Z.C., Qu, Z., Milbrandt, J., and Zhuo, M. Role of EGR1 in hippocampal synaptic enhancement induced by tetanic stimulation and amputation. 1325.
Weintraub, H. *See* Gerhart, Baytion, DeLuca, Getts, Lopez, Niewenhuis, Nilsen, Olex, Weintraub, and George-Weinstein.
Weinzierl, P. *See* Leonhardt, Rahn, Weinzierl, Sporbert, Cremer, Zink, and Cardoso.
Weiss, S.J. *See* Hotary, Allen, Punturieri, Yana, and Weiss.
Weisz, O.A. *See* Henkel, Gibson, Poland, Ellis, Hughey, and Weisz.
Wesley, C.S., and Saez, L. Analysis of Notch lacking the carboxyl terminus identified in *Drosophila* embryos. 683.
Westerberg, R. *See* Tvrdik, Westerberg, Silve, Asadi, Jakobsson, Cannon, Loison, and Jacobsson.
Westermann, B. *See* Weber, Parlati, McNew, Johnston, Westermann, Söllner, and Rothman.
Wewer, U.M. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.
White, A.M. *See* Pan, Fieles, White, Egerton, and Silberstein.
Wiederkehr, A., Avaro, S., Prescianotto-Baschong, C., Haguenauer-Tsapis, R., and Riezman, H. The F-box protein Rcy1p is involved in endocytic membrane traffic and recycling out of an early endosome in *Saccharomyces cerevisiae*. 397.
Wilm, M. *See* Wittmann, Wilm, Karsenti, and Vernos.
Wilson, B.S., Pfeiffer, J.R., and Oliver, J.M. Observing FcεRI signaling from the inside of the mast cell membrane. 1131.
Wilson, R.I. *See* Krantz, Waites, Oorschot, Liu, Wilson, Tan, Klumperman, and Edwards.
Wittmann, T., Wilm, M., Karsenti, E., and Vernos, I. TPX2, A novel *Xenopus* MAP involved in spindle pole organization.° 1405.
Wozniak, R. *See* Shulga, Mosammaparast, Wozniak, and Goldfarb.

X

Xia, L., Hai, B., Gao, Y., Burnette, D., Thazhath, R., Duan, J., Bré, M.-H., Levilliers, N., Gorovsky, M.A., and Gaertig, J. Polyglycylation of tubulin is essential and affects cell motility and division in *Tetrahymena thermophila*. 1097.
Xie, Z.-p. *See* He, Yang, Xie, and Lu.
Xu, L. *See* Frey, Laux, Xu, Schneider, and Caroni.
Xu, Z.C. *See* Wei, Xu, Qu, Milbrandt, and Zhuo.

Y

Yamada, H. *See* Sakaguchi, Miyazaki, Inoue, Tsuji, Kouchi, Tanaka, Yamada, and Namba.
Yamaguchi, M. *See* Inoue, do Carmo Avides, Shiraki, Deak, Yamaguchi, Nishimoto, Matsukage, and Glover.
Yamaji, T. *See* Kanazawa, Nakamura, Momoi, Yamaji, Takematsu, Yano, Sabe, Yamamoto, Kawasaki, and Kozutsumi.
Yamamoto, A. *See* Kanazawa, Nakamura, Momoi, Yamaji, Takematsu, Yano, Sabe, Yamamoto, Kawasaki, and Kozutsumi.
— *See* Kano, Takenaka, Yamamoto, Nagayama, Nishida, and Murata.
Yana, I. *See* Hotary, Allen, Punturieri, Yana, and Weiss.
Yang, F. *See* He, Yang, Xie, and Lu.
Yang, X.-M. *See* Velmurugan, Yang, Chan, Dobson, and Jayaram.
Yang, Y. *See* Karakesisoglou, Yang, and Fuchs.
Yano, H. *See* Kanazawa, Nakamura, Momoi, Yamaji, Takematsu, Yano, Sabe, Yamamoto, Kawasaki, and Kozutsumi.
Yuan, J. *See* Kang, Wang, Hara, Peterson, Namura, Amin-Hanjani, Huang, Srinivasan, Tomaselli, Thornberry, Moskowitz, and Yuan.

Z

Zahraoui, A. *See* Martinez-Arca, Alberts, Zahraoui, Louvard, and Galli.
Zerial, M. *See* Sönnichsen, De Renzis, Nielsen, Rietdorf, and Zerial.
Zheng, C. *See* Ueda, Abbi, Zheng, and Guan.
Zhuo, M. *See* Wei, Xu, Qu, Milbrandt, and Zhuo.
Zink, D. *See* Leonhardt, Rahn, Weinzierl, Sporbert, Cremer, Zink, and Cardoso.
Zolkiewska, A. *See* Iba, Albrechtsen, Gilpin, Fröhlich, Loechel, Zolkiewska, Ishiguro, Kojima, Liu, Langford, Sanderson, Brakebusch, Fässler, and Wewer.
Zondag, G.C.M., Evers, E.E., ten Klooster, J.P., Janssen, L., van der Kammen, R.A., and Collard, J.G. Oncogenic Ras downregulates Rac activity, which leads to increased Rho activity and epithelial–mesenchymal transition. 775.

SUBJECT INDEX VOLUME 149

A kinase–anchoring protein (AKAP)95, assists condensin targeting to chromosomes, 531
ACF7, expressed in mouse epidermis, integrates actin–microtubule networks at cellular junctions, 195
Actin
  and cell crawling (comparison with major sperm protein), 7
  interaction with microtubules, ACF7 and, 195
  psychosine affects reorganization of, 943
  recruitment during wound healing, 471
  regulation of, shared/unique roles of CAP23 and GAP43 in, 1443
Actin bundle formation, polar/bipolar, α-actinin and, 635
Actin cytoskeleton
  dynamics of, plakophilin 1 and, 209
  organization, role of Wnt signaling and dishevelled in, 1433
  T cell receptor signaling to, 181
Actin filaments
  interaction between S100C protein and, 1193
  orientation within bundles, α-actinin and, 635
Actin nascent chains, interaction with chaperonin tailless complex polypeptide 1 ring complex, 591
Actin recruitment, modulated by GAP43/MARCKS/CAP23, 1455
Actin stress fibers, reorientation of, RasGAP/p190 and, 457
α-Actinin, polar/biopolar actin bundle formation and, 635
ADAM 12, and cell adhesion, 1143
Adaptins, GGA homology to, 67, 81
Adhesion
  cadherin- and integrin-mediated, neurocan and inhibition of, 1275
  integrin-mediated, connection between apoptosis and, 431
  N-cadherin– and β1-integrin–mediated, Fer and, 1263
Adipocyte differentiation, TGF-β and Smads in, 667
ADP ribosylation factor, and GGA association with *trans*-Golgi network, 81
ADP ribosylation factor-like protein 2, regulates tubulin binding by cofactor D, 1087
Alzheimer's disease, calcium signaling alterations in (novel mechanism for), 793
Amnioserosa, and dorsal closure in *Drosophila*, 471
Amoebid cell motility, major sperm protein and, 7
Anaphase-promoting complex
  Cdc28 and mitotic phosphorylation of, 1377
  in mitosis, Cdc28 and activation of, 1361
Anatomical plasticity, in neurons, GAP43/MARCKS/CAP23 and, 1455
Androgen receptor, aggregate formation by, 255
Angiogenesis, GTPase Ges and, 1107
Ankyrins, polarized distribution of, β-spectrin and, 647
Annexin XIIIb, recruits Nedd4 to apical rafts, 1473
Anoikis, mediation of *ras*-induced resistance to, 447
Apical rafts, Nedd4 recruited to, 1473
Apoptosis
  anoikis, mediation of *ras*-induced resistance to, 447
  caspase-2 cleaves golgin-160 during, 603
  caspase-11 as regulator of, 613
  fibronectin-FAK-JNK survival pathway and, 741
  and localization of pro-apoptotic apoptosis protease–activating factor, 623
  in osteoblasts, induced by fibroblast growth factor, 1297
  regulated by integrin through Bax activation, 431
  signaling pathways that suppress, 223
  tumor necrosis factor–induced, keratin-dependent resistance to, 17
Apoptotic signaling cascades, inhibition of, and loss of trophic factor dependence, 1011
Arabidopsis thaliana, vacuolar sorting in, AtELP and, 1335
Armadillo repeat domain, in plakophilin 1, and regulation of actin cytoskeleton dynamics, 209
Astrocytes, neuronal control of gap-junctional communication in, connexin 43 expression in, calcium wave propagation in, 1513
Asymmetric segregation, of zebrafish *vasa* RNA, *nebel* and, 875
AtELP, as vacuolar sorting receptor in *Arabidopsis thaliana*, 1335
Autosomal dominant polycystic kidney disease cells, molecular trafficking in, 111
Axon guidance
  mediated by axonin-1, 951
  vertebrate, IgCAMs in, 757
Axon outgrowth, β-spectrin and, 931
Axonal degeneration, fibrinolysis protects against, 1157
Axonal elongation, enhanced by L1-glycoprotein, KIF4 and, 141
Axonal growth cone collapse, mediated by actin filament rearrangements/alterations, semaphorin3A stimulates endocytosis during, 411
Axonin-1, interaction with neuronal cell adhesion molecules, axon guidance mediated by, 951
Basolateral trafficking, in autosomal dominant polycystic kidney disease cells, 111
Bax, integrin regulates apoptosis through activation of, 431
BAX-dependent cytochrome *c* release, inhibition of, and loss of trophic factor dependence, 1011
Bcl-2, cytoplasmic localization of (compared to that of pro-apoptotic apoptosis protease–activating factor 1), 623
Budding yeast
  Cdc28 activates anaphase-promoting complex in, 1377
  Cdc28 activates exit from mitosis in, 1361
Ca^{2+}, and apical membrane targeting of Nedd4, 1473
Ca^{2+} signaling, calnexin phosphorylation and, 1235
Cadherin, plakoglobin and, 503
Cadherin function, and integrin function, coordinate regulation by neurocan, 1275
Caenorhabditis elegans
  β-G spectrin in, 915
  role of *cyk-4* gene in early divisions of, 1391
  β-spectrin function in, 931
Calcineurin, regulates myogenesis, 657
Calcium
  role in endosome–lysosome fusioin, 1053
  and skeletal muscle differentiation, 657
Calcium stores, presenilin mutations and overfilling of, 793
Calcium wave propagation, in astrocytes, neurons and, 1513
Calmodulin, and Ca^{2+}-mediated endosome–lysosome fusion, 1053
Calnexin phosphorylation, modulates Ca^{2+} oscillations, 1235
CAP23, shared/unique roles of GAP43 and, and nerve sprouting, and actin regulation, 1443
Capacitative calcium entry, presenilins and, 793
Carcinogenesis, connexin43 phosphorylation and, depressed gap junction communication and, 1503
Cardiac muscle, electromechanical coupling between skeletal muscle and, 731
Caspase-2, localized to Golgi complex and nucleus, cleaves golgin-160 during apoptosis, 603
Caspase-11, activates caspase-3 under pathological conditions, 613
Caspases, apoptosis-mediating, pro-apoptotic apoptosis protease–activating factor 1 and, 623
β-Catenin
  armadillo repeat in, epsin NH_2-terminal homology domain similar to, 537
  CREB-binding protein as coactivator of, 249
  and *Wnt* signaling cascade, 503
CD9, essential for sperm–egg fusion, 1289
Cdc2 kinase
  and Golgi disassembly, 357
  phosphorylates zyxin during mitosis, 1073
Cdc28
  activates exit from mitosis, 1361
  and mitotic phosphorylation of anaphase-promoting complex, 1377
Cell adhesion
  ADAM 12 and, 1143
  plakophilin 1 and, 209
Cell adhesion synergy site, in fibronectin, 521
Cell cortex, interaction between microtubules and, 863
Cell cycle
  centriole behavior during, 317
  DNA replication foci dynamics during, 271
  mitotic, in *Saccharomyces cerevisiae*, protein phosphatase type 1 localization in, 125

Cell cycle arrest, in differentiated muscle cells, maintained by p21, 281
Cell densitydependent growth arrest, S100C protein and, 1193
Cell division, tubulin polyglycation and, 1097
Cell invasion
matrix metalloproteinase–regulated, 1309
signaling pathways that facilitate, 223
Cell membranes, β-spectrin anchors proteins at, 931
Cell migration
Ras-GAP function in, 457
through extracellular matrix, membrane-type metalloproteinases and, 1167
Cell motility
amoebid, major sperm protein and, 7
centrosome and, 317
tubulin polyglycation and, 1097
Cell polarity
Ras-GAP/p190 essential for, 457
regulated by EB1 proteins, 761
β-spectrin and, 647
Cell spreading, GAP43/MARCKS/CAP23 and, 1455
Cell stress, replication protein A–nucleolin complex formed after, 799
Cell survival
during invasion of three-dimensional collagen matrix, signaling pathways necessary for, 223
tubulin polyglycation essential for, 1097
Central spindle, formation of, CYK-4 required for, 1391
Centrin, green fluorescent protein–labeled, and study of in vivo centrosome dynamics, 317
Centrioles, mother/daughter, behavior during somatic cell cycle, 317
Centrosomes, in vivo dynamics of, mother/daughter centrioles and, 317
Chaperone, at peroxisomal membrane, Pex19p functions as, 1171
Chaperone protein, tubulin cofactor D, ADP ribosylation factor-like protein 2 interacts with, 1087
Chaperonin tailless complex polypeptide 1 ring complex, interaction with nascent chains, 591
Chloroplast, novel light-harvesting complex component encoded by, 369
Cholesterol transport, in *Toxoplasma gondii*–infected cells, 167
Chondroitin sulfate proteoglycan, neurocan, coordinate regulation of cadherin and integrin by, 1275
Chromatin structure, JIL-1 and regulation of, 1005
Chromosomal replication, inhibited by replication protein A–nucleolin complex after cell stress, 799
Chromosome condensation, condensin complex and, 811
Chromosome stability, regulated by EB1 proteins, 761
Chromosomes, condensin targeting to, 531
Clathrin, epsin interacts with, 537
Clathrin-coated pits, FcεRI associated with, 1131
Claudins, involvement in tight junction barrier, 13
c-Met–binding site, mediates association of Gab1 with c-Met, 1419
Coats, *trans*-Golgi network–associated, GGAs as components of, 81
Collagen-invasive activity, matrix metalloproteinase–regulated, 1309
Colorectal tumor cells, anoikis resistance in, Bcl-X_L overexpression and, 447
Condensin, targeting to chromosomes, 531
Condensin complex, in *Saccharomyces cerevisiae*, and chromsome condensation, and mitotic transmission of ribosomal DNA, 811
Connexin43
in astrocytes, upregulated by neurons, 1513
downregulated in skeletal myofibers, 731
gap junctional communication regulated by phosphorylation of, 1503
Constitutive exocytosis, final stage, observed with total internal reflection fluorescence microscopy, 23
Constitutive membrane traffic fusion, observed with evanescent wave microscopy, 33
Contractile ring, disassembly of, phosphatidylethanolamine and regulation of, 1215
COPI, peroxisome biogenesis proceeds independently of, 1345
COPII, peroxisome biogenesis proceeds independently of, 1345
Craniosynostosis, fibroblast growth factor 2 mutations related to, effect on osteoblast proliferation/differentiation, 1297
Creatine kinase (muscle-type), interaction with sarcomeric M-line, 1225
CREB-binding protein, as coactivator of β-catenin, 249
Cross-talk
between focal adhesions and hemidesmosomes, 969
between syndecans and integrins, nonfunctional in carcinoma cells, 1143
Cytochrome *c*, release of, and trophic factor dependence, 1011
Cytokinesis
completion of, phosphatidylethanolamine required for, 1215
CYK-4 required for, 1391
inhibited by psychosine, 943
Cytoplasm, epsin function in, 537
Cytoskeleton
ACF7 associated with, 195
actin, Ras-GAP/p190 and remodeling of, 457
disrupted in intestinal epithelial cells, 447
GTPase Ges promotes reorganization of, 1107
Cytotoxicity, regulated by tyrosine kinase PYK-2/RAFTK, 1249
Danio rerio, hybrid fish between *Danio feegradei* and, zygotic *vasa* transcription in, 875
Delta, Notch lacking carboxyl terminus functions as receptor for, 683
Demyelination, fibrinolysis protects against, 1157
Dendrimers, localize MyoD mRNA in presomite tissues, 825
De-*N*-glycosylation, and proteasome-mediated degradation in yeast, peptide:*N*-glycanase and, 1039
Dense core vesicles (large), vesicular acetylcholine transporter sorted to, sequences involved in sorting to, 379
Desmosome, assembly of, plakophilin 1 and, 209
Development, Notch activities during, 683
Dextran uptake, semaphorin3A and, and growth cone collapse, 411
Diffusion channel, nucleoporins involved in structure/function of, 1027
Dishevelled, and Wnt signaling, role in actin cytoskeleton organization and cell morphogenesis, 1433
DNA replication
absence of, controlled by p21 and retinoblastoma protein, 281
elongation phase, nuclear lamin organization and, 1179
inhibited by replication protein A–nucleolin complex after cell stress, 799
DNA replication foci, dynamics of, 271
Docking (constitutive), total internal reflection fluorescence microscopy, 33
Dorsal closure, in *Drosophila*, forces for morphogenesis in, 471
Dosage compensation, in *Drosophila*, 1005
Drosophila
dorsal closure in, 471
dosage compensation in, 1005
Drosophila melanogaster
morphogenesis/function of epithelial cells in, β subunit of αβ spectrin molecule and, 647
novel microtubule-associated protein essential for mitosis in, 153
Dynactin, and NuMa transport required for spindle pole formation, 851
Dynamic instability, microtubule end structure and, 767
Dynein, and NuMa transport required for spindle pole formation, 851
Dynein/dynactin
and spindle movement into neck, 863
and spindle pole localization of TPX2, 1405
E1A, neutralizes p21 effect in differentiated muscle cells, and induction of DNA synthesis in differentiated muscle cells, 281
EB1 proteins, and microtubule dynamics, and cell polarity, and chromosome stability, 761
E-cadherin–polycystin assembly, in autosomal dominant polycystic kidney disease cells, 111
Egr1, role in hippocampal synaptic enhancement, 1325
Electromechanical coupling, between skeletal and cardiac muscle, 731
Electron cryomicroscopy, microtubule end structure–dynamic instability relationship studied with, 767
Electron microscopy
Nup84p complex structure/assembly visualized with, 41
and study of α-actinin cross-linking polarity, 635
Elongation, of fatty acid chains, mouse genes involved in, 707
Ena/VASP proteins, novel ligand for EVH1 domain of, 181
Endochondral ossification, and marrow establishment, 983
Endocytosis
compartmental organization of endosomes in, Rab proteins and, 901
connection to nuclear function regulation, epsin 1 and, 537
low-density lipoprotein receptor–mediated, for cholesterol acquisition, *Toxoplasma gondii* effect on, 167
Rcy1p involved in, 397
stimulated by semaphorin3A, 411
Endoplasmic reticulum
Ca^{2+}-sensitive chaperone functions in, controlled by calnexin phosphorylation, 1235
membrane fusion between Golgi and, SNARE proteins and, 55
of mutant *PS1* knockin cells, increased calcium levels within, 793
Endoplasmic reticulum export, peroxisome synthesis proceeds independently of, 1345
Endosome, fusion with lysosome, role of Ca^{2+} in, 1053

Endothelial cells, GTPase Ges functions as potent morphogenic switch in, 1107
Ephrin-A5, induces growth cone collapse, activates Rho and Rho kinase, 263
Ephrins, and increased dextran accumulation, 411
Epiblast, MyoD-expressing cells in, 825
Epidermis, NF-κB function in, 999
Epithelial cell phenotype, in autosomal dominant polycystic kidney disease, 111
Epithelial cells (Madin-Darby canine kidney), effect of Ras on Rac and Rho activity in, induction of mesenchymal phenotype in, 775
Epithelial polarity, without β-G spectrin, 915
Epsin, NH_2-terminal homology domain of, dual function in cytoplasm and nucleus, 537
Evanescent wave, in constitutive exocytosis imaging, 23
Evanescent wave microscopy, fusion of constitutive membrane trafficking observed with, 33
EVH1 domain, of Ena/VASP proteins, novel ligand for, 181
Exchange factor, for Rab protein Sec4p, Sec2p as, 95
Exocytosis, constitutive
  final stage, observed with total internal reflection fluorescence microscopy, 23
  observed with total internal reflection fluorescence microscopy, 33
Exocytosis, neurotransmitter release during, 379
Extracellular matrix
  cell migration through, membrane-type metalloproteinases and, 1167
  regulation of cell survival/migration during invasion of, 223
F-actin, recruited to membrane ridges/vacuoles after semaphorin3A treatment, 411
FAK family kinase–interacting protein, novel, proline-rich tyrosine kinase 2 suppressed by, 423
F3/contactin, and surface transport of paranodin, 491
FcεRI signaling, membrane topography of, 1131
Fer, mediates cross-talk between N-cadherin and β1-integrins, 1263
Fertilization, α6β1 integrin not required for, CD9 essential for, 1289
Fibrinolysis, tissue plasminogen activator–mediated, protects against axonal degeneration, 1157
Fibroblast growth factor, induces apoptosis in osteoblasts, 1297
Fibroblast growth factor receptors, craniosynostosis-related mutations in, effect on osteoclast proliferation/differentiation, 1297
Fibroblasts
  anchorage-dependent survival of, survival sequences required for, 741
  S100C protein and growth arrest in, 1193
Fibronectin, cell adhesion synergy site of, 521
FM4-64, in novel recycling assay, 397
Focal adhesion kinase, survival signals conveyed by, fibronectin to c-Jun NH_2-terminal kinase pathway via, 741
Focal adhesions, cross-talk between hemidesmosomes and, 969
Focal exocytosis, of VAMP3-containing vesicles at sites of phagosome formation, 697
G protein, ADP ribosylation factor-like protein 2, regulates tubulin binding by cofactor D, 1087
β-G Spectrin, epithelial polarity without, essential for muscular/neuronal function, 915
Gab1, association with c-Met, interaction with Shp2 and Grb2, 1419
GAP43, shared/unique roles of CAP23 and, and nerve sprouting, and actin regulation, 1443
Gap junctional communication, regulated by connexin43 phosphorylation, 1503
Gap junctions, in astrocytes, neuronal control of, 1513
GFP moesin, and study of *Drosophila* dorsal closure, 471
GGAs (novel adaptor-related proteins) and protein trafficking at *trans*-Golgi network, 81
  and *trans*-Golgi network–vacuole protein trafficking, 67
Glc7p, role in bud site selection, sites of function identified, activity regulated by changes in location, 125
Glial cells, astrocytes, neuronal control of gap-junctional communication in, connexin 43 expression in, calcium wave propagation in, 1513
Globoid cell leukodystrophy, formation of globoid cells in, psychosine and, 943
GM130 (*cis*-Golgi protein), mitotic phosphorylation/dephosphorylation of, 341
Golgi
  assembly/disassembly in mitosis, GM130 phosphorylation/dephosphorylation and, 341
  changes in organization during mitosis, 243
  membrane fusion in transport between endoplasmic reticulum and, SNARE proteins and, 55
Golgi complex
  disassembly of, MEK and Cdc2 kinase required for, 357
  transduces pro-apoptotic signals through caspase-2, 603
Golgi fragmentation, mitotic, mitogen-activated protein kinase kinase 1 and, 331
GPI-anchor, and cell surface expression of paranodin, 491
Green fluorescent protein
  centrin labeled with, and study of in vivo centrosome dynamics, 317
  fused to proliferating cell nuclear antigen, and visualization of DNA replication foci, 271
  and identification of Glc7p function sites, 125
  and imaging of constitutive exocytosis, 23
  nuclear envelope permeability analyzed with, 1027
  NuMa tagged with, and identification of spindle pole formation mechanism, 841
  and observation of constitutive membrane traffic fusion, 33
  polarized fusion of VAMP3 vesicles visualized with, 697
  and visualization of Golgi disassembly, 357
Growth cone axonin-1, interaction with neuronal cell adhesion molecules, axon guidance mediated by, 951
Growth cone collapse, mediated by actin filament rearrangements/alterations, semaphorin3A stimulates endocytosis during, 411
Growth cones, collapse of, 263
Growth signals, and nucleolar localization of human methionyl–tRNA synthetase, 567
GTPase regulating endothelial cell sprouting (Ges), identification/characterization of, promotes cytoskeleton reorganization, 1107
Hair growth, suppressed by plakoglobin, 503
Heat shock, and nucleolin replication protein A complex formation, 799
Hematopoiesis, formation of marrow microenvironment required for, 983
Hemidesmosomes, tetraspan CD151 as novel constituent of, assembly of, 969
Hippocampus, Egr1 regulates synaptic enhancement in, 1325
hnRNP A1, subcellular distribution of, 307
Human chromosome-associated protein (hCAP), recruited by A kinase–anchoring protein (AKAP)95, 531
Hypertrophic cartilage, defects in, hematopoietic disorders resulting from, 983
IgCAMs, in axon guidance, 757
Immortalization, of keratinocytes, 14-3-3σ and, 1117
Immortalized cells, S100C protein function in, 1193
Importin, and nuclear import of Ran exchange factor RCC1, 835
In situ hybridization, and identification of MyoD-expressing cells in presomitic tissues, 825
Inflammatory bowel disease, keratins 8 and 18 and, 17
Initiator caspase, for activation of caspase-3, caspase-11 as, 613
Inositol 1,4,5-triphosphate receptors, Ca^{2+} release from intracellular stores via, and neurotrophin-3–potentiated neurotransmitter secretion, 783
Integrin α5β1, fibronectin's RGD-mediated binding to, 521
Integrin α6β4, tetraspan CD151 associates with, 969
Integrin α16β1, not required for normal fertilization, 1289
Integrin function, and cadherin function, coordinate regulation by neurocan, 1275
Integrin recruitment, L1 third fibronectin-like domain and, 1485
Integrins, cell spreading induced by, and ADAM 12–mediated cell adhesion, 1143
β1-Integrins, Fer mediates cross-talk between N-cadherin and, 1263
Intermediate filament proteins, turn over by ubiquitination, phosphorylation and, 547
Intermediate filaments, formed by keratins 8 and 18, 17
Intestinal epithelial cells, *ras*-induced resistance to anoikis in, 447
ipl1-2 yeast mutant, missegregation of 2-μm plasmid in, 553
Isoenzyme-specific association, of muscle-type creatine kinase to sarcomeric M-line, 1225
kakapo, mammalian orthologue involved in actin–microtubule interactions, 195
Karyopherin-β, Heat repeat in, epsin NH_2-terminal homology domain similar to, 537
Keratin, and resistance to tumor necrosis factor–induced apoptosis, 17
Keratinocytes
  14-3-3σ and immortalization of, 1117
  plakophilin 1 expression in, 209
Keratins, turn over by ubiquitination, phosphorylation and, 547
KIF4, function in developing neurons, 141
Kinase, and phosphorylation of vesicular acetylcholine transporter, 379

Kinase MEK and Cdc2, required for Golgi disassembly, 357
Kinesin, tumor necrosis factor–induced inhibition of, 1207
Kinesin-like protein, ZEN-4/CeMKLP1, cooperation with CYK-4, and central spindle assembly, and cytokinesis, 1391
L1 (third fibronectin-like domain of), and receptor clustering, and integrin recruitment, 1485
L1-glycoprotein, KIF4 and anterograde transport of vesicles containing, 141
Lamins, and elongation phase of DNA replication, 1179
LDL endocytic pathway, for cholesterol acquisition, *Toxoplasma gondii* effect on, 167
Leydig cells, platelet-derived growth factor-A and development of, 1019
Ligand binding domain, of androgen receptor, and aggregate formation in neurodegenerative disease, 255
Light-harvesting complex, of photosystem II, novel architectural component of, 369
Lipid microdomain, GAP43/MARCKS/CAP23 modulate $PI(4.5)P_2$ at, 1455
Lipid rafts, recruitment of paranodin into, 491
Long-term potentiation, Egr1 and, 1325
Luciferase nascent chains, interaction with chaperonin tailless complex polypeptide 1 ring complex, 591
Lyn, FcεRI associated with, 1131
Lysosome
  fusion with endosome, role of Ca^{2+} in, 1053
  trafficking between *trans*-Golgi network and, facilitated by GGAs, 67
Madin-Darby canine kidney cells (epithelial), effect of Ras on Rac and Rho activity in, induction of mesenchymal phenotype in, 775
Major sperm protein, and amoebid cell motility (comparison with actin), 7
Male specific lethal dosage compensation complex, JIL-1 interacts with, 1005
Mallory bodies, keratin ubiquitination/phosphorylation associated with, 547
Mammary epithelial cells, pp125FAK and survival signaling in, 431
Marrow, establishment of, endochondral ossification and, 983
Matrigel, endothelial cell sprouting induced by, GTPase Ges function necessary for, 1107
Matrix assisted laser desorption ionization (MALDI) mass spectrometry, and isolation of nucleolar RNP assembly active in rRNA synthesis/processing, 575
Matrix metalloproteinases, cell invasion and morphogenesis regulated by, 1309
Membrane biogenesis (peroxisomal), *PEX3*-mediated, proceeds independently of COPI and COPII, 1345
Membrane compartmentalization, by Rab GTPases, 901
Membrane fusion
  assymetric requirements for endoplasmic reticulum/Golgi SNAREs in, 55
  endosome–lysosome, role of Ca^{2+} in, 1053
  mediated by SNAREpins, role of NSF and SNAPs in, 1063
  observed with total internal reflection fluorescence microscopy, 23
Membrane recycling, polarized, in motility and phagocytosis, 529
Membrane skeleton, β-G spectrin roles in, 915
Membrane tethers, formation under venous flow conditions, neutrophil–platelet interaction and, 719
Membrane traffic, between *trans*-Golgi network and vacuole/lysosome, facilitated by GGAs, 67
Metalloproteinases, and cell migration through extracellular matrix, 1167
Methionyl–tRNA synthetase, nucleolar localization of, involvement in ribosomal RNA synthesis, 567
Microdomains, FcεRI signaling in, 1131
Microtubule dynamics, regulated by EB1 proteins, 761
Microtubule end structure, and dynamic instability, 767
Microtubule minus ends
  NuMa transport toward (for spindle pole formation), 851
  targeting of Xklp2 to, 1405
Microtubule-associated protein (orbit), essential for mitosis in *Drosophila melanogaster*, 153
Microtubule-based transport, KIF4 and, 141
Microtubule-organizing center, in natural killer cells, tyrosine kinase PYK-2/RAFTK colocalizes with, 1249
Microtubules
  ADP ribosylation factor-like protein 2 regulates dynamics of, 1087
  interaction between cell cortex and, 863
  interaction with actin, ACF7 and, 195
  in *orbit*, 5
Middle cerebral artery occlusion, caspase-3 activated by caspase-11 after, 613
Mitochondria
  perinuclear clustering of, mitogen-activated protein kinase and, 1207
  pro-apoptotic apoptosis protease–activating factor 1 in, 623
Mitogen-activated protein kinase, and inactivation of kinesin, and perinuclear clustering of mitochondria, and hyperphosphorylation of kinesin light chains, 1207
Mitogen-activated protein kinase kinase, and Golgi disassembly, 357
Mitogen-activated protein kinase kinase 1, and mitotic Golgi fragmentation, 331
Mitosis
  anaphase-promoting complex phosphorylation during, Cdc28 and, 1377
  in budding yeast, Cdc28 activates exit from, 1361
  changes in Golgi organization during, 243
  chromosome condensation at, A kinase–anchoring protein (AKAP)95 and, 531
  in *Drosophila melanogaster*, novel microtubule-associated protein essential for, 153
  Golgi disassembly during, 357
  Golgi fragmentation in, mitogen-activated protein kinase kinase 1 activated during, 331
  h-warts/LATS1 and zyxin interact during, 1073
  and NuMa/dynein/dynactin complex assembly, 851
  phosphorylation of *cis*-Golgi matrix protein GM130 during, 341
  TPX2 localizes to spindle poles during, 1405
Mitotic spindle, Rep protein complex linked to (and plasmid partitioning in *Saccharomyces cerevisiae*), 553
Moesin, and regulation of exocytotic release, 379
Morphogenesis
  branching, c-Met–induced, Gab1 and, 1419
  in *Drosophila* dorsal closure, multiple forces for, 471
  matrix metalloproteinase–regulated, 1309
  regulated by Wnt signaling, 1433
Morphology change, in endothelial cells, promoted by GTPase Ges, 1107
Motility, polarized membrane recycling in, 529
Multimerization, of L1 third fibronectin-like domain, 1485
Multinuclear cells (giant), psychosine induces formation of, 943
Muscles, β-spectrin function in, 931
Muscular function, β-G spectrin essential for, 915
Myelination, and paranodin sorting, 491
Myogenesis, regulated by calcineurin, 657
Myogenic cells, in embryo before somite formation, 825
Myogenin, and calcineurin-initiated skeletal muscle differentiation, 657
Natural killer cells, cytotoxic activity of, regulated by tyrosine kinase PYK-2/RAFTK, 1249
N-cadherin
  downregulated in skeletal myofibers, 731
  Fer mediates cross-talk between β1-integrins and, 1263
Nebel, and asymmetric segregation of *vasa* RNA, 875
Nedd4, apical membrane targeting of, 1473
Nematode major sperm protein, and amoebid cell motility, 7
Nerve growth factor, withdrawal in mature sympathetic neurons, 1011
Nerve sprouting, shared/unique roles of CAP23 and GAP43 in, 1443
Neural cells, functional relationship between IgCAMs on, 757
Neurite outgrowth
  cadherin- and integrin-mediated, neurocan and inhibition of, 1275
  modulated by GAP43/MARCKS/CAP23, 1455
  N-cadherin– and β1-integrin–mediated, Fer and, 1263
  tetanus neurotoxin insensitive vesicle–associated membrane protein (TI-VAMP) and, 889
Neurocan, coordinate regulation of cadherin and integrin function by, 1275
Neurodegenerative disorder, spinal and bulbar muscular atrophy, aggregate formation in, 255
Neuromuscular junction, neurotrophin-3–induced synaptic potentiation at, 783
Neuronal cell adhesion molecules, interaction with axonin-1, and axon guidance, 951
Neuronal function, β-G spectrin essential for, 915
Neurons
  and control of astrocytic gap junctions, and connexin 43 expression in astrocytes, and calcium wave propagation in astrocytes, 1513
  developing, KIF4 function in, 141
  loss of trophic factor dependence during maturation of, 1011
  protected against axonal injury, 1157
  β-spectrin function in, 931
Neurotransmitters, release influenced by phosphorylation, 379
Neurotrophin-3, synaptic potentiation induced by, 783
Neutrophils, interaction with platelets, membrane tethers pulled from, 719
NF-κB, function in epidermis, 999
NH_2-terminal propeptide–containing vacuolar proteins, in *Arabidopsis thaliana*, AtELP and targeting of, 1335

Nodes of Ranvier, F3/contactin and formation of, 491
Notch, in *Drosophila*, lacking carboxyl terminus, as receptor for Delta, 683
NSF (*N*-ethylmaleimide–sensitive fusion protein), SNAREpins functionally resistant to, 1063
Nuclear envelope
  Nup84p and organization of, 41
  permeability of, yeast nucleoporins involved in, 1027
Nuclear import
  of Ran exchange factor RCC1, 835
  of S100C protein, effect on DNA synthesis, 1193
Nuclear lamin organization, and elongation phase of DNA replication, 1179
Nuclear movements, in *Saccharomyces cerevisiae*, caused by microtubule–cortex interactions, 863
Nuclear organization, of DNA replication factories, 271
Nuclear pore complex, Nup84p and biogenesis of, 41
Nucleolar components, assembly during *Xenopus laevis* embryogenesis transcription, 293
Nucleoli, human methionyl–tRNA synthetase translocated into, 567
Nucleolin, cell stress induces complex between replication protein A and, 799
Nucleolus, substructure active in rRNA synthesis/processing, 575
Nucleoporins (yeast), and nuclear envelope permeability, role in structure/function of diffusion channel, 1027
Nucleus
  caspase-2 localized to, 603
  epsin function in, 537
Nup84p complex, structure/assembly of, 41
orbit, microtubules in, 5
Organelle biogenesis, Pex19p function and, 1171
Osteoblasts, proliferating and differentiating, fibroblast growth factor induces apoptosis in, 1297
p21, role in differentiated muscle cells, 281
p38 kinase, and subcellular distribution of splicing factors, 307
p190 Rho-GAP, role in cell polarity/migration, 457
p16^{INK4a} tumor suppressor gene, downregulation of, 14-3-3σ downregulation and
Pain-regulated synaptic plasticity, in hippocampus, regulated by Egr1, 1325
Paranodin/caspr, interaction with F3/contactin, recruitment into lipid rafts, surface transport of, 491
Parasitophorous vacuole, cholesterol delivery to, 167
Peptide:*N*-glycanase, yeast gene encoding, 1039
Peroxin Pex19p, interaction with integral membrane proteins at peroxisomal membrane, 1171
Peroxisome membrane synthesis, independent of endoplasmic reticulum export, 1345
Phagocytosis
  polarized membrane recycling in, 529
  recycling endosomes and mediation of, 697
Phagosome sealing, preceded by VAMP3 exocytosis, 697
Phosphatidylethanolamine, required for completion of cytokinesis, and regulation of contractile ring disassembly, 1215
Phosphorylation
  of calnexin, modulates Ca^{2+} oscillations, 1235
  of connexin43 by protein kinase C, gap junctional communication regulated by, 1503
  keratin turn over by ubiquitination and, 547
  of kinesin light chains, tumor necrosis factor–induced, mitogen-activated protein kinase and, 1207
  of mitogen-activated protein kinase kinase 1 during mitosis, 331
  regulates targeting of vesicular acetylcholine transporter to large dense core vesicles, 379
  of zyxin during mitosis, regulates interaction between zyxin and h-warts/LATS1, 1073
Phosphorylation/dephosphorylation, of *cis*-Golgi protein GM130, 341
Photosynthesis, *ycf9* related to, 369
PI 3-kinase, and *ras*-induced resistance to anoikis, 447
Plakoglobin, suppresses epithelial proliferation, 503
Plakophilin 1, and desmosome assembly, and actin cytoskeleton dynamics, 209
Plasma membrane polarity, spectrin as determinant of, 647
Plasmid partitioning, in *Saccharomyces cerevisiae*, 553
Platelet-derived growth factor-A, and Leydig cell development, and male gonad differentiation, and spermatogenesis, 1019
Platelets, interaction with neutrophils, and membrane tether formation, 719
Polarized membrane recycling, in motility and phagocytosis, 529
Polycystin, assembly with E-cadherin disrupted in autosomal dominant polycystic kidney disease cells, 111
pp125FAK, role in mammary cell survival, 431
Prenucleolar bodies, in *Xenopus laevis* embryogenesis, 293
pre-RNAs, in nucleolar domain, correlation between ribosomal RNA processing machinery recruitment and, 293
Presenilins, and capacitative calcium entry, 793
Primordial germ cells, expression of genes specific to, germ plasm segregation changes and, 875
Proliferating cell nuclear antigen, fused to green fluorescent protein, and visualization of DNA replication foci, 271
Proliferation (epithelial), suppressed by plakoglobin, 503
Proline-rich tyrosine kinase 2, suppressed by novel FAK family kinase–interacting protein, 423
Proteasome, degradation mediated by, de-*N*-glycosylation and, peptide:*N*-glycanase and, 1039
Protein folding, chaperonin tailless complex polypeptide 1 ring complex and, 591
Protein import (peroxisomal), *PEX3* and, 1345
Protein kinase (JIL-1), involved in regulation of chromatin structure, interaction with male specific lethal dosage compensation complex, 1005
Protein localization, of integral peroxisome membrane proteins, Pex19p and, 1171
Protein phosphatase 2A, and dephosphorylation of *cis*-Golgi matrix protein GM130, 341
Protein phosphatase type 1, localization in mitotic cell cycle of yeast, 125
Protein trafficking
  between *trans*-Golgi network and vacuole/lysosome, facilitated by GGAs, 67
  at *trans*-Golgi network, mediated by GGAs, 81
Protofilament sheets, and microtubule growth, 767
P-Selectin, neutrophil rolling on, and membrane tether formation, 719
Psychosine, inhibition of cytokinesis by, and formation of multinuclear giant cells, 943
Quality control, proteasome-dependent degradation, peptide:*N*-glycanase involved in, 1039
Rab GTPases
  action on target membranes, 1
  membrane compartmentalization by, 901
Rab protein (Sec4p), Sec2p as essential nucleotide exchange factor for, 95
Raf/MAP kinase signaling, and decreased Rac activity, transcriptional downregulation of Tiam1 by, 775
Ran exchange factor RCC1, nuclear import of, 835
Ras-GAP, role in cell polarity/migration, 457
Ras signaling (oncogenic), effect on activation state of Rac and Rho, 775
Receptor clustering, L1 third fibronectin-like domain and, 1485
Receptor signaling, regulated by syndecan, 995
Recycling, Rcy1p involved in, 397
Recycling endosomes, and mediation of phagocytosis, 697
Replication protein A, cell stress induces complex between nucleolin and, 799
Retinal growth cones, collapse of, 263
Retinoblastoma protein, role in differentiated muscle cells, 281
Reverse two-hybrid analysis, c-Met and Grb2 interaction sites mapped with, 1419
RGD, fibronectin–integrin binding mediated by, 521
Rho family GTPase-activating protein, CYK-4, required for cytokinesis and central spindle formation, 1391
Rho/Rho kinase, activated by ephrin-A5, and growth cone collapse, 263
Ribosomal RNA
  condensin complex and mitotic transmission of, 811
  synthesis/processing of, molecular scaffold for, 575
Ribosomal RNA processing machinery, recruitment to nuclear domain during *Xenopus laevis* development, 293
Ribosomal RNA synthesis, human methionyl–tRNA synthetase involved in, 567
Ribosome biogenesis, nucleolar substructure active in, 575
RNA polymerase I activity, required by nucleolar methionyl–tRNA synthetase, 567
RNA polymerase I transcription, and recruitment of ribosomal RNA processing machinery, 293
Ryanodine receptors, Ca^{2+} release from intracellular stores via, and neurotrophin-3–potentiated neurotransmitter secretion, 783
Saccharomyces cerevisiae
  condensin complex in, 811
  endocytosis and recycling in, Rcy1p involved with, 397
  localization of protein phosphatase type 1 in, 125
  microtubule–cortex interactions in, 863
  nuclear envelope permeability in, 1027
  peptide:*N*-glycanase gene in, 1039
  plasmid partitioning mechanism in, 553

post-Golgi vesicle transport in, Sec2p COOH terminus and, 95
Sarcomeric M-line, interaction with muscle-type creatine kinase, 1225
S100C protein, and contact inhibition of cell growth, 1193
Sciatic nerve injury, protection against axonal degeneration after, 1157
Sec13p, in Nup84p, and nuclear pore complex formation, 41
Secretion, between Golgi and endoplasmic reticulum, SNAREs and, 55
Segmental plate, MyoD-expressing cells in, 825
Semaphorin3A, stimulates endocytosis, 411
Semi-intact cell system, morphological analysis of Golgi apparatus during, 357
Senescence, of keratinocytes, 14-3-3σ–mediated bypass of, 1117
Serine/threonine kinase (h-warts/LATS1), interaction with zyxin during mitosis, 1073
Shp2, as effector for c-Met/Gab1 signaling, 1419
Signal transduction
for axon guidance, axonin-1 and, 951
of calcineurin during skeletal muscle differentiation, myogenin and, 657
subcellular compartmentalization of PYK-2 and, 1249
and subcellular distribution of splicing factors, 307
Signaling, pro-apoptotic, transduced by Golgi complex through caspase-2, 603
Skeletal muscle, electromechanical coupling between cardiac muscle and, 731
Skeletogenesis, endochondral, and formation of marrow microenvironment required for hematopoiesis, 983
Smads (inhibitory), in adipocyte differentiation, 667
αSNAP, SNAREpins functionally resistant to, 1063
SNAP25, tetanus neurotoxin insensitive vesicle–associated membrane protein (TI-VAMP) interacts with, 889
SNARE proteins, action on target membranes, 1
SNAREpins (trans-SNARE complexes), functionally resistant to NSF and αSNAP, 1063
β-Spectrin
functions independently of α-spectrin, 647
function in neurons and muscles, 931
Spermatogenesis, platelet-derived growth factor-A and, 1019
Sperm–egg fusion, α6β1 integrin not required for, CD9 essential for, 1289
Sphingolipids, synthesis of, novel mouse gene involved in, 707
Spinal and bulbar muscular atrophy, aggregate formation in, 255
Spindle pole, organization of, novel component of, 1405
Spindle pole assembly, NuMa transport required for, 851
Splicing factors, stress-induced relocalization of, 307
Store-operated calcium entry, impaired in *PS1* knockin cells, 793
Stress signaling, and relocalization of splicing factors, 307
Stroke, mouse model of, caspase-3 activated by caspase-11 after, 613
Subcellular localization, of pro-apoptotic apoptosis protease–activating factor 1, 623
Survival signals, from fibronectin via focal adhesion kinase to c-Jun NH_2-terminal kinase, 741
Syk, FcεRI associated with, 1131
Synaptic plasticity
pain-regulated, in hippocampus, regulated by Egr1, 1325
shared/unique roles of CAP23 and GAP43 in, 1443
Synaptic transmission, neurotrophin-3 signaling mechanism in, 783
Syndecan
and ADAM 12–mediated cell adhesion, 1143
receptor signaling regulated by, 995
Synergy site, integrin-binding, in fibronectin, 521
T cell receptor signaling, to actin cytoskeleton, 181
Telomerase activity, maintenance of, downregulation of 14-3-3σ and, 1117
Testicular development, platelet-derived growth factor-A and, 1019
Tetanus neurotoxin insensitive vesicle–associated membrane protein (TI-VAMP), and neurite outgrowth, interaction with SNAP25, 889
Tetrahymena thermophila, role of tubulin polyglycation in, 1097
Tetraspan CD151, as novel constituent of hemidesmosomes, association with integrin α6β4, 969
Tetraspanin, CD9, required for sperm–egg fusion, 1289
TGF-β, in adipocyte differentiation, 667
Three-dimensional collagen matrix, regulation of cell survival/migration during invasion of, 223
Thrombosis, neutrophil rolling dynamics during, 719
Tiam1, downregulated by Raf/MAP kinase (and decreased Rac activity), 775
Tight junction strands, aqueous pores within, claudins and, 13
Tissue plasminogen activator, protective role in nerve injury, 1157
Total internal reflection, combined with wide-field microscopy, and observation of constitutive membrane traffic fusion, 33
Total internal reflection fluorescence microscopy, constitutive exocytosis observed with, 23
Toxoplasma gondii, cholesterol transport in cells infected with, 167
TPX2, of *Xenopus*, and spindle pole organization, and Xklp2 localization to microtubule minus ends, 1405
Trafficking
between Golgi and endoplasmic reticulum, SNAREs and, 55
of vesicular acetylcholine transporter, regulated by phosphorylation, 379
trans-Golgi network
GGAs mediate protein trafficking at, 81
trafficking between vacuole/lysosome and, facilitated by GGAs, 67
Transcription, in vivo, of rRNA, nucleolar substructure and, 575
Transcriptional activation, of Wnt-responsive genes, by β-catenin, CREB-binding protein and, 249
Transferrin recycling pathway, membrane organization of, Rab proteins involved in, 901
Transformation, of keratinocytes, 14-3-3σ downregulation and, 1117
Translation, chaperone machinery functionally coupled to, 591
Transport
microtubule-based, KIF4 and, 141
of post-Golgi vesicles, role of Sec2p COOH terminus in, 95
Transport vesicles, targeting and fusion with correct membrane, 1
Trophic factor dependence, associated with neuronal maturation, loss of, 1011
Tubulin
interaction with tubulin-folding cofactors, 1087
and plasmid partitioning in *Saccharomyces cerevisiae*, 553
polyglycation of, affects cell motility and division, essential for cell survival, 1097
Tubulogenesis, regulation of, matrix metalloproteinases and, 1309
Tumor necrosis factor
induces kinesin inhibition, and hyperphosphorylation of kinesin light chains, 1207
keratin-dependent resistance to, 17
Tumor promoter, protein kinase C activators as, and depressed gap junction communication, 1503
Tumor suppressor h-warts/LATS1, interaction with zyxin during mitosis, 1073
Tyrosine kinase
Fer; nonreceptor, mediates cross-talk between N-cadherin and β1-integrins, 1263
PYK-2/RAFTK, regulates cytotoxicity, colocalization with microtubule-organizing centers in natural killer cells, 1249
Ubiquitin, and endocytic pathway, 397
Ubiquitination, keratin turn over by, phosphorylation and, 547
unc-70, molecular characterization of, 931
Vacuolar sorting, in *Arabidopsis thaliana*, AtELP and, 1335
Vacuole, trafficking between *trans*-Golgi network and, facilitated by GGAs, 67
VAMP3 exocytosis, precedes phagosome sealing, 697
Vasa RNA, localized to germ plasm, 875
Very long chain fatty acids, synthesis of, novel mouse gene involved in, 707
Vesicle, single, fusion with plasma membrane, observed with total internal reflection fluorescence microscopy, 23
Vesicle SNARE, involved in neurite outgrowth, 889
Vesicles, post-Golgi, role of Sec2p COOH terminus in transport of, 95
Vesicular acetylcholine transporter, sorting to dense core vesicles, 379
Vesicular transport, mediated by neurite outgrowth mediated by tetanus neurotoxin insensitive vesicle–associated membrane protein (TI-VAMP), essential for neurite outgrowth, 889
VHS domain, in GGAs (novel adaptor-related proteins), 67, 81
WASP, binding between Arp2/3 complex and, and actin reorganization in activated T cells, 181
Wnt signaling, and dishevelled, role in actin cytoskeleton organization and cell morphogenesis, 1433
Wnt signals, transmission of, plakoglobin and, 503
Wnt target genes, activation of, CREB-binding protein–β-catenin interaction and, 249
Wound healing, in *Drosophila*, actin recruitment during, cellular and molecular basis of, 471
Xenopus egg extracts, microtubule end structure–dynamic instability relationship in, 767

Xenopus laevis, transcriptional activation in, CREB-binding protein–β-catenin interaction and, 249
Xenopus laevis development, assembly of nuclear components during, 293
Xklp2, localization to microtubule minus ends, 1405
ycf9, encodes novel structural component of light-harvesting complex of photosystem II, 369
Yeast, localization of protein phosphatase type 1 in, 125
Yeast, *Saccharomyces cerevisiae*
endocytosis and recycling in, Rcy1p involved with, 397
microtubule–cortex interactions in, 863
nuclear envelope permeability in, 1027
peptide:*N*-glycanase gene in, 1039
plasmid partitioning mechanism in, 553
post-Golgi vesicle transport in, Sec2p COOH terminus and, 95
Yeast RNA polymerase I, association with nucleolar substructure active in rRNA synthesis/processing, 575
Zellweger syndrome, caused by inactivating mutations in *PEX3*, 1345
Zyxin, interaction with h-warts/LATS1 during mitosis, 1073